

Chemokine (C-X-C Motif) Ligand 27 (CCL27) Recombinant Protein | CCL27 recombinant protein

Eukaryotic Chemokine (C-X-C Motif) Ligand 27 (CCL27)

CATALOG # AAA152274	HOST 293F cell	APPLICATIONS Western Blot, SDS-Page
-------------------------------	--------------------------	---


PRODUCT SYNONYMS

Chemokine (C-X-C Motif) Ligand 27 (CCL27); Eukaryotic Chemokine (C-X-C Motif) Ligand 27 (CCL27); CCL27/Chemokine (C-X-C Motif) Ligand 27; CTACK; ILC; SCYA27; ALP; Skinkine; ESkin; PESKY; CTAK; Cutaneous T-Cell Attracting Chemokine; Small Inducible Cytokine Subfamily A Member 27; IL-11 R-alpha-locus chemokine; CCL27 recombinant protein

PRODUCT SPECIFICATIONS


Host	293F cell
Purity/Purification	Greater than 90% by SDS-PAGE
Form/Format	PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300. Freeze-dried powder
Sequence	Phe25~Gly1 12
Applicable Applications for CCL27 recombinant protein	WB (Western Blot), SDS-PAGE, Immunogen, Positive Control
Expression System	Eukaryotic expression
Species	Human
Tag	N-terminal His Tag
Endotoxin Level	<1.0EU per 1ug (determined by the LAL method)
Reconstitution	Reconstitute in 10mM PBS (pH7.4) to a concentration of 0.1-1.0mg/mL. Do not vortex.
Subcellular Location	Secreted
Preparation and Storage	Store at 2-8 degree C for one month, -80 degree C for 12 months Stable for 12 months if correctly stored.

IMAGES



SDS-PAGE
SDS-PAGE

Sequence



ADDITIONAL INFORMATION

Product Categories/Family for CCL27 recombinant protein	Cytokine; Tumor immunity; Infection immunity; Dermatology; Eukaryotic Recombinant proteins/EP
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	5730035
NCBI GeneID	10850
NCBI Accession #	NP_006655.1
NCBI GenBank Nucleotide #	NM_006664.2
UniProt Accession #	Q9Y4X3
Molecular Weight	12,618 Da
NCBI Official Full Name	C-C motif chemokine 27
NCBI Official Synonym Full Names	chemokine (C-C motif) ligand 27
NCBI Official Symbol	CCL27
NCBI Official Synonym Symbols	ALP; ILC; CTAK; CTACK; PESKY; ESKINE; SCYA27
NCBI Protein Information	C-C motif chemokine 27; skinkine; CC chemokine ILC; IL-11 Ralpha-locus chemokine; small-inducible cytokine A27; IL-11 R-alpha-locus chemokine; cutaneous T-cell attracting chemokine; cutaneous T-cell-attracting chemokine; small inducible cytokine subfamily
UniProt Protein Name	C-C motif chemokine 27
UniProt Gene Name	CCL27
UniProt Synonym Gene Names	ILC; SCYA27; CTACK
UniProt Entry Name	CCL27_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/ccl27-recombinant-protein-293f-cell-wb-western-blot-sds-page-immunogen-positive-control/152274>