

Mouse Desmin (Des) Monoclonal Antibody | anti-Des antibody

Monoclonal Antibody to Desmin (Des)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA152567	Mouse	Human, Rat, Pig	Immunoprecipitation, Immunocytochemistry, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Desmin (Des); Monoclonal Antibody; Monoclonal Antibody to Desmin (Des); Desmin; CMD11; CSM1; CSM2; Intermediate Filament Protein; anti-Des antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human, Rat, Pig
Clonality	Monoclonal
Isotype	IgG
Clone Number	C18
Specificity	The antibody is a mouse monoclonal antibody raised against Des. It has been selected for its ability to recognize Des in immunohistochemical staining and western blotting.
Purity/Purification	Protein A + Protein G affinity chromatography
Form/Format	Liquid. 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	1mg/mL (varies by lot)
Sequence Positions	Asp117~Gln348
Applicable Applications for anti-Des antibody	IP (Immunoprecipitation), ICC (Immunocytochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant Desmin (Des)
Preparation and Storage	Store at 4 degree C for frequent use. Store at -20 degree C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. Stable for 12 months if correctly stored. The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


IMAGES



WB (Western Blot)
Western Blot; Sample: Lane1: Porcine Heart lysate; Lane2: Porcine Skeletal muscle lysate; Lane3: Rat Skeletal muscle lysate Primary Ab: 0.2ug/ml Mouse Anti-human Des Antibody Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody



WB (Western Blot)
Western Blot; Sample: Lane1: human Placenta lysate; Lane2: Porcine Skeletal muscle lysate; Lane3: Rat Skeletal muscle lysate Primary Ab: 0.1ug/ml Mouse Anti-human Des Antibody Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody



IHC (Immunohistochemistry)
DAB staining on IHC-P; Sample: Rat Cardiac Muscle Tissue; Primary Ab: 30ug/ml Mouse Anti-human Des Antibody Second Ab: 2ug/mL HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody

ADDITIONAL INFORMATION

Product Categories/Family for anti-Des antibody	Monoclonal Antibodies (Primary Abs); Monoclonal antibodies; Signal transduction
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	55749932
NCBI GeneID	1674
NCBI Accession #	NP_001918.3
NCBI GenBank Nucleotide #	NM_001927.3
UniProt Accession #	P17661; Q15787; Q549R7; Q549R8; Q549R9; Q8IZR1; Q8IZR6; Q8NES2; Q8NEU6; Q8TAC4; Q8TCX2; Q8TD99
Molecular Weight	53,536 Da
NCBI Official Full Name	desmin
NCBI Official Synonym Full Names	desmin
NCBI Official Symbol	DES
NCBI Official Synonym Symbols	CSM1; CSM2
NCBI Protein Information	desmin; intermediate filament protein
UniProt Protein Name	Desmin

UniProt Gene Name	DES
UniProt Entry Name	DESM_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/desmin-des-antibody-clone-c18-immunoprecipitation-immunocytochemistry-immunohistochemistry-western-blot-elisa/152567>