

Mouse anti-Human Antithrombin (AT) Monoclonal Antibody | anti-AT antibody

Monoclonal Antibody to Antithrombin (AT)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA152629	Mouse	Human	Immunoprecipitation, Immunocytochemistry, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

Antithrombin (AT); Monoclonal Antibody; Monoclonal Antibody to Antithrombin (AT); Antithrombin; AT3; ATIII; SERPINC1; Anti-Thrombin Antibodies; Serpin Peptidase Inhibitor Clade C Member 1; Coding Sequence Signal Peptide Antithrombin Part 1; anti-AT antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1 Kappa
Clone Number	H14
Specificity	The antibody is a mouse monoclonal antibody raised against AT. It has been selected for its ability to recognize AT in immunohistochemical staining and western blotting.
Purity/Purification	Affinity Chromatography
Form/Format	Liquid. 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	1mg/mL (varies by lot)
Sequence Positions	His33~Lys464
Applicable Applications for anti-AT antibody	IP (Immunoprecipitation), ICC (Immunocytochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant Antithrombin (AT)
Preparation and Storage	Store at 4 degree C for frequent use. Store at -20 degree C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. Stable for 12 months if correctly stored. The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




WB (Western Blot)

Western Blot; Sample: Lane1: human Serum; Lane2: human Plasma Primary Ab: 0.5ug/ml Mouse Anti-human AT Antibody Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody




IHC (Immunohistochemistry)

DAB staining on IHC-P; Sample: human Liver Tissue Primary Ab: 20ug/ml Mouse Anti-human AT Antibody Control: Used PBS instead of primary antibody Second Ab: 2ug/ml HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody



IHC (Immunohistochemistry)

DAB staining on IHC-P; Sample: human Liver Tissue; Primary Ab: 20ug/ml Mouse Anti-human AT Antibody Second Ab: 2ug/mL HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody



IHC (Immunohistochemistry)

DAB staining on IHC-P; Sample: human Kidney Tissue; Primary Ab: 20ug/ml Mouse Anti-human AT Antibody Second Ab: 2ug/mL HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody

ADDITIONAL INFORMATION

Product Categories/Family for anti-AT antibody	Monoclonal Antibodies (Primary Abs); Monoclonal antibodies; Enzyme & Kinase
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	113936
NCBI GeneID	462
UniProt Accession #	P01008; P78439; P78447; Q13815; Q5TC78; Q7KZ43; Q7KZ97; Q9UC78; B2R6P0
Molecular Weight	464
NCBI Official Full Name	Antithrombin-III
NCBI Official Synonym Full Names	serpin peptidase inhibitor, clade C (antithrombin), member 1
NCBI Official Symbol	SERPINC1
NCBI Official Synonym Symbols	AT3; AT3D; ATIII; THPH7
NCBI Protein Information	antithrombin-III; serine (or cysteine) proteinase inhibitor, clade C (antithrombin), member 1
UniProt Protein Name	Antithrombin-III
UniProt Gene Name	SERPINC1
UniProt Synonym Gene Names	AT3; ATIII

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/antithrombin-at-antibody-clone-h14-immunoprecipitation-immunocytochemistry-immunohistochemistry-western-blot-elisa/152629>