

Mouse anti-Human Transferrin Receptor (TFR) Monoclonal Antibody | anti-TFR antibody

Monoclonal Antibody to Transferrin Receptor (TFR)


CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA152920	Mouse	Human	Immunoprecipitation, Immunocytochemistry, Immunohistochemistry, Western Blot

PRODUCT SYNONYMS

Transferrin Receptor (TFR); Monoclonal Antibody; Monoclonal Antibody to Transferrin Receptor (TFR); Transferrin Receptor; CD71; TFR1; P90; TFRC; T9; Trfr; sTfR; Transferrin receptor protein 1; seuM form; anti-TFR antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1 Kappa
Clone Number	C5
Specificity	The antibody is a mouse monoclonal antibody raised against TFR. It has been selected for its ability to recognize TFR in immunohistochemical staining and western blotting.
Purity/Purification	Protein A + Protein G affinity chromatography
Form/Format	Liquid. 0.01M PBS, pH7.4, containing 0.05% Proclin-300, 50% glycerol.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-TFR antibody	IP (Immunoprecipitation), ICC (Immunocytochemistry), IHC (Immunohistochemistry), WB (Western Blot)
Preparation and Storage	Store at 4 degree C for frequent use. Store at -20 degree C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. Stable for 12 months if correctly stored. The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37 degree C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.




WB (Western Blot)

Western Blot; Sample: Lane1: human Placenta lysate; Lane2: Hela cell lysate; Lane3: K562 cell lysatePrimary Ab: 0.2ug/ml Mouse Anti-human TFR AntibodySecond Ab: 0.2ug/mL HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody



WB (Western Blot)

Western Blot; Sample: Lane1: human Placenta lysate; Lane2: Hela cell lysate; Lane3: K562 cell lysate Primary Ab: 0.2ug/ml Mouse Anti-human TFR Antibody Second Ab: 0.2ug/mL HRP-Linked Caprine Anti-Mouse IgG Polyclonal Antibody



IF (Immunofluorescence)

FITC staining on IF; Sample: human Hela cell; Primary Ab: 30ug/ml Mouse Anti-human TFR Antibody Second Ab: 5ug/ml FITC-Linked Caprine Anti-Mouse IgG Polyclonal Antibody

ADDITIONAL INFORMATION

Product Categories/Family for anti-TFR antibody	Monoclonal Antibodies (Primary Abs); Monoclonal antibodies; Signal transduction
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	189458819
NCBI GeneID	7037
NCBI Accession #	NP_001121620.1
NCBI GenBank Nucleotide #	NM_001128148.1
UniProt Accession #	P02786; Q1HE24; Q59G55; Q9UCN0; Q9UCU5; Q9UDF9; Q9UK21; D3DXB0
Molecular Weight	84,871 Da
NCBI Official Full Name	transferrin receptor protein 1
NCBI Official Synonym Full Names	transferrin receptor (p90, CD71)
NCBI Official Symbol	TFRC
NCBI Official Synonym Symbols	T9; TR; TFR; p90; CD71; TFR1; TRFR
NCBI Protein Information	transferrin receptor protein 1
UniProt Protein Name	Transferrin receptor protein 1
UniProt Gene Name	TFRC

UniProt Synonym Gene Names	TR; TfR; TfR1; Trfr; sTfR
UniProt Entry Name	TFR1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/transferrin-receptor-tfr-antibody-clone-c5-immunoprecipitation-immunocytochemistry-immunohistochemistry-western-blot-elisa/152920>