

Rabbit anti-Human CXCL11 Polyclonal Antibody | anti-CXCL11 antibody

Anti-CXCL11 Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA162266	Rabbit	Human	Western Blot, Neutralization Assay, Immunohistochemistry, ELISA

PRODUCT SYNONYMS

CXCL11; Polyclonal Antibody; Anti-CXCL11 Antibody; Chicken Polyclonal to Human CXCL11; Beta-R1; Chemokine h174; Chemokine ip-9; Chemokine itac; H174; I-TAC; IP9; ITAC; IP-9; SCYB11; Small inducible cytokine B11; B-R1; C-X-C motif chemokine 11; SCYB9B; Small-inducible cytokine B11; anti-CXCL11 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Specificity	Human I-TAC
Purity/Purification	Immunoaffinity Purified
Form/Format	Lyophilized from PBS, pH 7.2
Sequence Length	94
Applicable Applications for anti-CXCL11 antibody	WB (Western Blot), NTRL (Neutralization Assay), IHC (Immunohistochemistry), ELISA
Immunogen	E Coli derived recombinant Human I-TAC.
Conjugation	Unconjugated
Resuspension Liquid	Sterile water
Preparation and Storage	Short term: 4 degree C Long term: -20 degree C. Avoid freeze-thaw cycles.

IMAGES



ELISA
Sandwich ELISA of CXCL11 antibody



IHC (Immunohistochemistry)
Anti-CXCL11 antibody IHC of human liver, Kupffer cells. Immunohistochemistry of formalin-fixed, paraffin-embedded tissue after heat-induced antigen retrieval. Antibody dilution 5 ug/ml.

ADDITIONAL INFORMATION

Related Product Information for anti-CXCL11 antibody	Chemokines are a group of small (approximately 8 to 14 kD), mostly basic, structurally related molecules that regulate cell trafficking of various types of leukocytes through interactions with a subset of 7-transmembrane, G protein-coupled receptors. Chemokines also play fundamental roles in the development, homeostasis, and function of the immune system, and they have effects on cells of the central nervous system as well as on endothelial cells involved in angiogenesis and angiostasis.
---	--

Product Categories/Family for anti-CXCL11 antibody

Intercrine; Interocrine alpha

NCBI AND UNIPROT INFORMATION

NCBI GI #	4885589
NCBI GeneID	6373
NCBI Accession #	NP_005400.1
NCBI GenBank Nucleotide #	NM_005409.4
UniProt Accession #	O14625; Q53YA3; Q92840
Molecular Weight	10,365 Da
NCBI Official Full Name	C-X-C motif chemokine 11 isoform 1
NCBI Official Synonym Full Names	C-X-C motif chemokine ligand 11
NCBI Official Symbol	CXCL11
NCBI Official Synonym Symbols	IP9; H174; IP-9; b-R1; I-TAC; SCYB11; SCYB9B
NCBI Protein Information	C-X-C motif chemokine 11
UniProt Protein Name	C-X-C motif chemokine 11
UniProt Gene Name	CXCL11
UniProt Synonym Gene Names	ITAC; SCYB11; SCYB9B; IP-9; I-TAC

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/cxcl11-antibody-western-blot-neutralization-assay-immunohistochemistry-elisa/162266>