

Rabbit anti-Mouse, Human NEDL2/HECW2 Polyclonal Antibody | anti-HECW2 antibody

NEDL2/HECW2 Rabbit anti-Human Polyclonal (Internal) Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA163077	Rabbit	Mouse, Human	Western Blot, Immunohistochemistry, Immunofluorescence, Immunocytochemistry

PRODUCT SYNONYMS

NEDL2/HECW2; Polyclonal Antibody; NEDL2/HECW2 Rabbit anti-Human Polyclonal (Internal) Antibody; IHC-plus NEDL2/HECW2 Antibody (Internal); HECW2; KIAA1301; NEDL2; anti-HECW2 antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Mouse, Human
Clonality	Polyclonal
Specificity	Recognizes endogenous levels of HECW2 protein.
Purity/Purification	Immunoaffinity purified
Form/Format	PBS, pH7.3, 0.01% Sodium Azide, 30% Glycerol
Concentration	1mg/ml (varies by lot)
Applicable Applications for anti-HECW2 antibody	WB (Western Blot), IHC (Immunohistochemistry), IF (Immunofluorescence), ICC (Immunocytochemistry)
Target	Human NEDL2/HECW2
Immunogen	KLH-conjugated synthetic peptide encompassing a sequence within the central region of human HECW2.
Conjugation	Unconjugated
Epitope	Internal
Preparation and Storage	Store at -20 degree C. Aliquot to avoid freeze/thaw cycles.

IMAGES



IHC (Immunohistochemistry)

NEDL2/HECW2 Antibody-Human Brain, Cerebellum: Formalin-Fixed, Paraffin-Embedded (FFPE)



IHC (Immunohistochemistry)

NEDL2/HECW2 Antibody-Human Brain, Cortex: Formalin-Fixed, Paraffin-Embedded (FFPE)



WB (Western Blot)

NEDL2/HECW2 Antibody-Western blot analysis of HECW2 expression in A549 (A); NIH3T3 (B) whole cell lysates.



ICC (Immunocytochemistry)

NEDL2/HECW2 Antibody-Immunofluorescent analysis of HECW2 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 C in a humidified chamber. Cells were washed with PBST and incubated with a DyLight 594-conjugated secondary antibody (red) in PBS at room temperature in the dark. DAPI was used to stain the cell nuclei (blue).

ADDITIONAL INFORMATION

Related Product Information for anti-HECW2 antibody

HECW2 antibody is an unconjugated rabbit polyclonal antibody to HECW2 (NEDL2)(Internal) from human. It is reactive with human and mouse. Validated for ICC, IF, IHC and WB. Tested on 20 paraffin-embedded human tissues.

NCBI AND UNIPROT INFORMATION

NCBI GeneID	57520
UniProt Accession #	Q9P2P5
UniProt Protein Name	E3 ubiquitin-protein ligase HECW2
UniProt Gene Name	HECW2
UniProt Synonym Gene Names	KIAA1301; NEDL2
UniProt Entry Name	HECW2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/nedl2-hecw2-antibody-western-blot-immunohistochemistry-immunofluorescence-immunocytochemistry-elisa/163077>