

Human MBP/MBL ELISA Kit | MBP/MBL elisa kit

Human MBP/MBL (Mannose Binding Protein/Mannose Binding Lectin) ELISA Kit

CATALOG #
AAA163922

REACTIVITY
Human


PRODUCT SYNONYMS

MBP/MBL; Human MBP/MBL (Mannose Binding Protein/Mannose Binding Lectin) ELISA Kit; MBP/MBL elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Human MBP/MBL. No significant cross-reactivity or interference between Human MBP/MBL and analogues was observed. Note: Limited by current skills and knowledge, it is impossible for us to complete the cross- reactivity detection between Human MBP/MBL and all the analogues, therefore, cross reaction may still exist.
Sequence Length	248
Samples	Serum, Plasma, Biological Fluids
Assay Type	Sandwich
Detection Range	0.156-10ng/mL
Sensitivity	Min: 0.094ng/mL; Max: 10ng/mL
Preparation and Storage	Store at 4 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MBP/MBL elisa kit	Description: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of MBP/MBL in human serum, plasma and other biological fluids Principle of the Assay: This ELISA kit uses Sandwich-ELISA as the method. The micro ELISA plate provided in this kit has been pre-coated with an antibody specific to Human MBP/MBL. Standards or samples are added to the appropriate micro ELISA plate wells and bound by the specific antibody. Then a biotinylated detection antibody specific for Human MBP/MBL and Avidin-Horseradish Peroxidase (HRP) conjugate is added to each micro plate well successively and incubated. Free components are washed away. The substrate solution is added to each well. Only those wells that contain Human MBP/MBL, biotinylated detection antibody and Avidin-HRP conjugate will appear blue in color. The enzyme-substrate reaction is terminated by the addition of a sulphuric acid solution and the color turns yellow. The optical density (OD) is measured spectrophotometrically at a wavelength of 450 nm +/- 2 nm. The OD value is proportional to the concentration of Human MBP/MBL. You can calculate the concentration of Human MBP/MBL in the samples by comparing the OD of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	4557739
NCBI GeneID	4153
NCBI Accession #	NP_000233.1
NCBI GenBank Nucleotide #	NM_000242.2
UniProt Accession #	P11226; Q4VB12; Q4VB13; Q4VB14; Q5SQS3; Q86SI4; Q96KE4; Q96TF7; Q96TF8; Q96TF9
Molecular Weight	26,144 Da
NCBI Official Full Name	mannose-binding protein C
NCBI Official Synonym Full Names	mannose-binding lectin (protein C) 2, soluble
NCBI Official Symbol	MBL2
NCBI Official Synonym Symbols	MBL; MBP; MBP1; MBPD; MBL2D; MBP-C; COLEC1; HSMBPC
NCBI Protein Information	mannose-binding protein C; collectin-1; mannan-binding lectin; mannose-binding lectin (protein C) 2, soluble (opsonic defect); mannose-binding lectin 2, soluble (opsonic defect)
UniProt Protein Name	Mannose-binding protein C
UniProt Gene Name	MBL2
UniProt Synonym Gene Names	COLEC1; MBL; MBP-C
UniProt Entry Name	MBL2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.