

Human CLC ELISA Kit | CLC elisa kit

Human CLC (Charcot Leyden Crystal Protein) ELISA Kit

CATALOG #
AAA163947

REACTIVITY
Human


PRODUCT SYNONYMS

CLC; Human CLC (Charcot Leyden Crystal Protein) ELISA Kit; CLC elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Human CLC. No significant cross-reactivity or interference between Human CLC and analogues was observed. Note: Limited by current skills and knowledge, it is impossible for us to complete the cross- reactivity detection between Human CLC and all the analogues, therefore, cross reaction may still exist.
Sequence Length	215
Samples	Serum, Plasma, Biological Fluids
Assay Type	Sandwich
Detection Range	0.156-10ng/mL
Sensitivity	Min: 0.094ng/mL; Max: 10ng/mL
Preparation and Storage	Store at 4 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CLC elisa kit	Description: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of CLC in human serum, plasma and other biological fluids Principle of the Assay: This ELISA kit uses Sandwich-ELISA as the method. The micro ELISA plate provided in this kit has been pre-coated with an antibody specific to Human CLC. Standards or samples are added to the appropriate micro ELISA plate wells and bound by the specific antibody. Then a biotinylated detection antibody specific for Human CLC and Avidin-Horseradish Peroxidase (HRP) conjugate is added to each micro plate well successively and incubated. Free components are washed away. The substrate solution is added to each well. Only those wells that contain Human CLC, biotinylated detection antibody and Avidin-HRP conjugate will appear blue in color. The enzyme-substrate reaction is terminated by the addition of a sulphuric acid solution and the color turns yellow. The optical density (OD) is measured spectrophotometrically at a wavelength of 450 nm +/- 2 nm. The OD value is proportional to the concentration of Human CLC. You can calculate the concentration of Human CLC in the samples by comparing the OD of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	261245022
NCBI GeneID	23529
NCBI Accession #	NP_001159684.1
NCBI GenBank Nucleotide #	NM_001166212.1
UniProt Accession #	Q9UBD9; Q6NZA4; B4DNT4
Molecular Weight	24,087 Da
NCBI Official Full Name	cardiotrophin-like cytokine factor 1 isoform 2
NCBI Official Synonym Full Names	cardiotrophin-like cytokine factor 1
NCBI Official Symbol	CLCF1
NCBI Official Synonym Symbols	CLC; NR6; BSF3; NNT1; BSF-3; CISS2; NNT-1
NCBI Protein Information	cardiotrophin-like cytokine factor 1; B-cell stimulating factor 3; B-cell stimulatory factor 3; B-cell-stimulating factor 3; CRLF1 associated cytokine-like factor 1; neurotrophin-1/B-cell stimulating factor-3; novel neurotrophin-1
UniProt Protein Name	Cardiotrophin-like cytokine factor 1
UniProt Gene Name	CLCF1
UniProt Synonym Gene Names	BSF3; CLC; NNT1; BSF-3; NNT-1
UniProt Entry Name	CLCF1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.