

Rabbit AIMP1 Polyclonal Antibody | anti-AIMP1 antibody

AIMP1 Polyclonal Antibody

CATALOG # AAA166972	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot, ELISA
-------------------------------	-----------------------	--	--


PRODUCT SYNONYMS

AIMP1; Polyclonal Antibody; AIMP1 Polyclonal Antibody; p43; HLD3; EMAP2; SCYE1; EMAPII; anti-AIMP1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen affinity purification
Concentration	2.3mg/mL (varies by lot)
Sequence Length	336
Applicable Applications for anti-AIMP1 antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Immunogen	Synthetic peptide of human AIMP1
Buffer	PBS with 0.05% sodium azide, 50% glycerol, pH7.3
Preparation and Storage	Store at -20 degree C (regular) and -80 degree C (long term). Avoid freeze / thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human gastric cancer using AIMP1 Polyclonal Antibody at dilution of 1:40



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human thyroid cancer using AIMP1 Polyclonal Antibody at dilution of 1:40



WB (Western Blot)

Western Blot analysis of HeLa, hepG2, A549 and 293T cell using AIMP1 Polyclonal Antibody at dilution of 1:400

ADDITIONAL INFORMATION

Related Product Information for anti-AIMP1 antibody

The protein encoded by this gene is a cytokine that is specifically induced by apoptosis, and it is involved in the control of angiogenesis, inflammation, and wound healing. The release of this cytokine renders the tumor-associated vasculature sensitive to tumor necrosis factor. The precursor protein is identical to the p43 subunit, which is associated with the multi-tRNA synthetase complex, and it modulates aminoacylation activity of tRNA synthetase in normal cells. This protein is also involved in the stimulation of inflammatory responses after proteolytic cleavage in tumor cells. Multiple transcript variants encoding different isoforms have been found for this gene. A pseudogene has been identified on chromosome 20.

Product Categories/Family for anti-AIMP1 antibody

Cell Biology

NCBI AND UNIPROT INFORMATION

NCBI GI #	215490011
NCBI GeneID	9255
NCBI Accession #	NP_001135888.1
NCBI GenBank Nucleotide #	NM_001142416.1
Molecular Weight	37,039 Da
NCBI Official Full Name	aminoacyl tRNA synthase complex-interacting multifunctional protein 1 isoform b
NCBI Official Synonym Full Names	aminoacyl tRNA synthetase complex-interacting multifunctional protein 1
NCBI Official Symbol	AIMP1
NCBI Official Synonym Symbols	p43; HLD3; EMAP2; SCYE1; EMAPII
NCBI Protein Information	aminoacyl tRNA synthase complex-interacting multifunctional protein 1; ARS-interacting multifunctional protein 1; endothelial monocyte-activating polypeptide 2; endothelial-monocyte activating polypeptide II; multisynthase complex auxiliary component p43; multisynthetase complex auxiliary component p43; small inducible cytokine subfamily E, member 1 (endothelial monocyte-activating)
UniProt Protein Name	Aminoacyl tRNA synthase complex-interacting multifunctional protein 1
UniProt Gene Name	AIMP1
UniProt Synonym Gene Names	EMAP2; SCYE1; EMAP-2; EMAP-II
UniProt Entry Name	AIMP1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

