

Rabbit SLIT2 Polyclonal Antibody | anti-SLIT2 antibody

SLIT2 Polyclonal Antibody

CATALOG # AAA168468	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot, ELISA
-------------------------------	-----------------------	--	--


PRODUCT SYNONYMS

SLIT2; Polyclonal Antibody; SLIT2 Polyclonal Antibody; SLIL3; Slit-2; anti-SLIT2 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen affinity purification
Concentration	1.8mg/mL (varies by lot)
Sequence Length	1525
Applicable Applications for anti-SLIT2 antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Immunogen	Synthetic peptide of human SLIT2
Buffer	PBS with 0.05% sodium azide, 50% glycerol, pH7.3
Preparation and Storage	Store at -20 degree C (regular) and -80 degree C (long term). Avoid freeze / thaw cycles.


IMAGES


IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human cervical cancer using SLIT2 Polyclonal Antibody at dilution of 1:30


IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human liver cancer using SLIT2 Polyclonal Antibody at dilution of 1:30



WB (Western Blot)

Western Blot analysis of Mouse bladder tissue using SLIT2 Polyclonal Antibody at dilution of 1:200

ADDITIONAL INFORMATION

Related Product Information for anti-SLIT2 antibody

Secreted leucine-rich repeat-containing proteins 1-3 (Slit1-3) are secreted glycoproteins that influence axonal guidance and mediate normal neural development by acting as high-affinity signaling ligands for the repulsive guidance receptor, Roundabout (Robo). Within the developing central nervous system (CNS) of different vertebrate systems, Slit proteins are expressed in equivalent regions, suggesting a conserved function among vertebrate homologs. Slit is expressed in the midline of the central nervous system in both vertebrates and invertebrates, where it functions as a regulatory factor of mesodermal cell movement during gastrulation. Slit2 is a short range inhibitory guidance cue for retinal ganglion cell (RGC) axons that may mediate spatial progression of RGCs.

NCBI AND UNIPROT INFORMATION

NCBI GI #	574281850
NCBI GeneID	9353
NCBI Accession #	NP_001276064.1
NCBI GenBank Nucleotide #	NM_001289135.1
Molecular Weight	168,893 Da
NCBI Official Full Name	slit homolog 2 protein isoform 2
NCBI Official Synonym Full Names	slit homolog 2 (Drosophila)
NCBI Official Symbol	SLIT2
NCBI Official Synonym Symbols	SLIL3; Slit-2
NCBI Protein Information	slit homolog 2 protein
UniProt Protein Name	Slit homolog 2 protein
UniProt Gene Name	SLIT2
UniProt Synonym Gene Names	SLIL3; Slit-2
UniProt Entry Name	SLIT2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/slit2-antibody-immunohistochemistry-western-blot-elisa/168468>