

Rabbit CD2AP Polyclonal Antibody | anti-CD2AP antibody

CD2AP Polyclonal Antibody

CATALOG # AAA170277	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry, Western Blot, ELISA
-------------------------------	-----------------------	--	--


PRODUCT SYNONYMS

CD2AP; Polyclonal Antibody; CD2AP Polyclonal Antibody; CMS; anti-CD2AP antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen affinity purification
Concentration	3.1mg/mL (varies by lot)
Applicable Applications for anti-CD2AP antibody	IHC (Immunohistochemistry), WB (Western Blot), ELISA
Immunogen	Synthetic peptide of human CD2AP
Buffer	PBS with 0.05% sodium azide, 50% glycerol, pH7.3
Preparation and Storage	Store at -20 degree C (regular) and -80 degree C (long term). Avoid freeze / thaw cycles.


IMAGES


IHC (Immunohistochemisry)

Immunohistochemistry of paraffin-embedded Human liver cancer using CD2AP Polyclonal Antibody at dilution of 1:70


IHC (Immunohiostchemistry)

Immunohistochemistry of paraffin-embedded Human Lymphoma using CD2AP Polyclonal Antibody at dilution of 1:70



WB (Western Blot)

Western Blot analysis of A431 and Raji cell using CD2AP Polyclonal Antibody at dilution of 1:1000

ADDITIONAL INFORMATION

Related Product Information for anti-CD2AP antibody

This gene encodes a scaffolding molecule that regulates the actin cytoskeleton. The protein directly interacts with filamentous actin and a variety of cell membrane proteins through multiple actin binding sites, SH3 domains, and a proline-rich region containing binding sites for SH3 domains. The cytoplasmic protein localizes to membrane ruffles, lipid rafts, and the leading edges of cells. It is implicated in dynamic actin remodeling and membrane trafficking that occurs during receptor endocytosis and cytokinesis. Haploinsufficiency of this gene is implicated in susceptibility to glomerular disease.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/cd2ap-antibody-immunohistochemistry-western-blot-elisa/170277>