

Human PYGL (Glycogen Phosphorylase, Liver) CLIA Kit | PYGL clia kit

Human PYGL (Glycogen Phosphorylase, Liver) CLIA Kit

CATALOG #
AAA171292

REACTIVITY
Human


PRODUCT SYNONYMS

PYGL (Glycogen Phosphorylase; Liver); Human PYGL (Glycogen Phosphorylase; Liver) CLIA Kit; Hers disease; glycogen storage disease type VI; GSD6; PYGL clia kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This kit recognizes natural and recombinant PYGL. No significant cross-reactivity or interference between PYGL and analogues was observed.
Assay Type	Sandwich
Detection Range	31.25-2000pg/mL
Sensitivity	Min: 18.75pg/mL; Max: 2000pg/mL

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PYGL clia kit

Intended Uses: This CLIA kit applies to the in vitro quantitative determination of PYGL concentrations in serum, plasma and other biological fluids.

Principle of the Assay: This kit uses Sandwich-CLIA as the method. The micro CLIA plate provided in this kit has been pre-coated with an antibody specific to PYGL. Standards or samples are added to the appropriate micro CLIA plate wells and combined with the specific antibody. Then a biotinylated detection antibody specific for PYGL and Avidin-Horseradish Peroxidase (HRP) conjugate is added to each micro plate well successively and incubated. Free components are washed away. The substrate solution is added to each well. Only those wells that contain PYGL, biotinylated detection antibody and Avidin-HRP conjugate will appear fluorescence. The Relative light unit (RLU) value is measured spectrophotometrically by the Chemiluminescence immunoassay analyzer. The RLU value is positively associated with the concentration of PYGL. You can calculate the concentration of PYGL in the samples by comparing the RLU value of the samples to the standard curve.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

