

Mouse Myc-Tag Monoclonal Antibody | anti-Myc-Tag antibody

Myc-Tag Monoclonal Antibody

CATALOG # AAA171614	HOST Mouse	APPLICATIONS Immunofluorescence, Immunoprecipitation, Western Blot
-------------------------------	----------------------	--

PRODUCT SYNONYMS

Myc-Tag; Monoclonal Antibody; Myc-Tag Monoclonal Antibody; anti-Myc-Tag antibody

PRODUCT SPECIFICATIONS

Host	Mouse
Clonality	Monoclonal
Isotype	IgG
Clone Number	3B8
Purity/Purification	Antigen Affinity Purified
Concentration	1 mg/ml (varies by lot)
Sequence Length	11
Applicable Applications for anti-Myc-Tag antibody	IF (Immunofluorescence), IP (Immunoprecipitation), WB (Western Blot)
Immunogen	Synthetic Peptide
Buffer	PBS, pH 7.4, containing 0.02% sodium azide as Preservative and 50% Glycerol.
Preparation and Storage	Store at -20 degree C. Avoid freeze / thaw cycles.

IMAGES



IF (Immunofluorescence)

Immunofluorescence analysis of 293 cells transfected with a Myc tag protein tissue using Myc-Tag Monoclonal Antibody at dilution of 1:2000.



WB (Western Blot)

Western Blot analysis of 1ug Myc fusion protein using Myc-Tag Monoclonal Antibody at dilution of 1) 1:5000 2) 1:10000.

ADDITIONAL INFORMATION

Product Categories/Family for anti-Myc-Tag antibody	Tag Control Antibodies
---	------------------------

NCBI AND UNIPROT INFORMATION

NCBI GI #	985015742
NCBI Official Full Name	MYC-tag, partial

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/monoclonal/myc-tag-antibody-clone-3b8-immunofluorescence-immunoprecipitation-western-blot-elisa/171614>