

Rabbit Bim Polyclonal Antibody | anti-Bim antibody

Bim Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA171773	Rabbit	Human, Mouse, Rat, Monkey	ELISA, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Bim; Polyclonal Antibody; Bim Polyclonal Antibody; BCL2L11; BIM; Bcl-2-like protein 11; Bcl2-L-11; Bcl2-interacting mediator of cell death; anti-Bim antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat, Monkey
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Form/Format	PBS with 0.02% sodium azide , 0.5% BSA and 50% glycerol, pH7.4
Concentration	1 mg/ml (varies by lot)
Applicable Applications for anti-Bim antibody	ELISA, IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Synthesized peptide derived from the N-terminal region of human Bim.
Note	Centrifuge before opening to ensure complete recovery of vial contents.
Preparation and Storage	Store at -20°C. Avoid freeze / thaw cycles.

IMAGES



WB (Western Blot)

Western Blot analysis of various cells with Bim Polyclonal Antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-Bim antibody	Background: The protein encoded by this gene belongs to the BCL-2 protein family. BCL-2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in a wide variety of cellular activities. The protein encoded by this gene contains a Bcl-2 homology domain 3 (BH3). It has been shown to interact with other members of the BCL-2 protein family and to act as an apoptotic activator. The expression of this gene can be induced by nerve growth factor (NGF), as well as by the forkhead transcription factor FKHR-L1, which suggests a role of this gene in neuronal and lymphocyte apoptosis. Transgenic studies of the mouse counterpart suggested that this gene functions as an essential initiator of apoptosis in thymocyte-negative selection. Several alternatively spliced transcript variants of this gene have been identified.
Product Categories/Family for anti-Bim antibody	Epigenetics

NCBI AND UNIPROT INFORMATION

Molecular Weight	Calculated MW: 22 Observed MW: 22
------------------	--------------------------------------

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/bim-antibody-immunohistochemistry-western-blot-elisa/171773>