

Rabbit CstF-64T Polyclonal Antibody | anti-CstF-64T antibody

CstF-64T Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA172093	Rabbit	Human, Mouse, Rat	ELISA, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

CstF-64T; Polyclonal Antibody; CstF-64T Polyclonal Antibody; CSTF2T; KIAA0689; Cleavage stimulation factor subunit 2 tau variant; CF-1 64 kDa subunit tau variant; Cleavage stimulation factor 64 kDa subunit tau variant; CSTF 64 kDa subunit tau variant; TauCstF-64; anti-CstF-64T antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purified
Concentration	1 mg/ml (varies by lot)
Applicable Applications for anti-CstF-64T antibody	ELISA, IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Synthesized peptide derived from the Internal region of human CstF-64T.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Preparation and Storage	Store at -20 degree C. Avoid freeze / thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Mouse liver using CstF-64T antibody at dilution of 1:50



WB (Western Blot)

Western Blot analysis of Jurkat cells with CstF-64T Polyclonal Antibody.

NCBI AND UNIPROT INFORMATION

Molecular Weight	Calculated MW: 64 Observed MW: 64
------------------	--------------------------------------

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

