

IgM Secondary Antibody

Goat Anti-Mouse IgM(H+L) (FITC conjugated)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA173632	Goat	Mouse	Immunofluorescence

PRODUCT SYNONYMS

IgM; Goat Anti-Mouse IgM(H+L) (FITC conjugated); Goat Anti-Mouse IgM; IgM secondary antibody

PRODUCT SPECIFICATIONS

Host	Goat
Reactivity	Mouse
Purity/Purification	Affinity Purification
Form/Format	0.01M PBS with 50% glycerol, PH7.6
Concentration	0.2 mg/mL (specific antibody purification $\geq$ 99%), FITC:Ab=4-6:1 (varies by lot)
Applicable Applications for IgM secondary antibody	IF (Immunofluorescence)
Immunogen	Mouse IgM
Conjugation	FITC
Amax	495nm
Emax	525nm
Note	Centrifuge before opening to ensure complete recovery of vial contents.
Preparation and Storage	Store at -20°C. Avoid repeated freeze / thaw cycles. Protected from prolonged exposure to light.

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/goat-mouse-secondary-antibody/igm/173632>