

Mouse PPAR Delta Monoclonal Antibody | anti-PPAR Delta antibody

PPAR Delta Monoclonal Antibody

CATALOG # AAA173664	HOST Mouse	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunofluorescence, Immunohistochemistry
-------------------------------	----------------------	--	---


PRODUCT SYNONYMS

PPAR Delta; Monoclonal Antibody; PPAR Delta Monoclonal Antibody; Peroxisome proliferator-activated receptor delta (PPAR-delta) (NUC1) (Nuclear hormone receptor 1) (NUC1) (Nuclear receptor subfamily 1 group C member 2) (Peroxisome proliferator-activated receptor beta) (PPAR-beta); anti-PPAR Delta antibody

PRODUCT SPECIFICATIONS


Host	Mouse
Reactivity	Human, Mouse, Rat
Clonality	Monoclonal
Isotype	IgG
Clone Number	5F4
Purity/Purification	Protein A Purification
Concentration	1mg/mL (varies by lot)
Sequence Length	441
Applicable Applications for anti-PPAR Delta antibody	IF (Immunofluorescence), IHC (Immunohistochemistry)
Immunogen	Recombinant Protein of PPAR Delta of PPAR Delta
Buffer	PBS with 0.02% sodium azide, 0.5% BSA and 50% glycerol, pH7.4
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze / thaw cycles.

IMAGES



IF (Immunofluorescence)

Immunofluorescence analysis of Mouse spleen tissue using PPAR Delta Monoclonal Antibody at dilution of 1:200.



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human uterus tissue using PPAR Delta Monoclonal Antibody at dilution of 1:200.

ADDITIONAL INFORMATION

Related Product Information for anti-PPAR Delta antibody	This gene encodes a member of the peroxisome proliferator-activated receptor (PPAR) family. PPARs are nuclear hormone receptors that bind peroxisome proliferators and control the size and number of peroxisomes produced by cells. PPARs mediate a variety of biological processes, and may be involved in the development of several chronic diseases, including diabetes, obesity, atherosclerosis, and cancer. This protein is a potent inhibitor of ligand-induced transcription activity of PPAR alpha and PPAR gamma. It may function as an integrator of transcription repression and nuclear receptor signaling. The expression of this gene is found to be elevated in colorectal cancer cells. The elevated expression can be repressed by adenomatosis polyposis coli (APC), a tumor suppressor protein related to APC/beta-catenin signaling pathway.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	284807155
NCBI GeneID	5467
NCBI Accession #	NP_001165289.1
NCBI GenBank Nucleotide #	NM_001171818.1
UniProt Accession #	Q03181; Q5D1P0; Q7Z5K0; Q9BUD4; A8K6J6; B4E3V3; B6ZGS1; B7Z3W1; E9PE18
Molecular Weight	38,855 Da
NCBI Official Full Name	peroxisome proliferator-activated receptor delta isoform 1
NCBI Official Synonym Full Names	peroxisome proliferator activated receptor delta
NCBI Official Symbol	PPARD
NCBI Official Synonym Symbols	FAAR; NUC1; NUCI; NR1C2; NUCII; PPARB
NCBI Protein Information	peroxisome proliferator-activated receptor delta
UniProt Protein Name	Peroxisome proliferator-activated receptor delta
UniProt Gene Name	PPARD
UniProt Synonym Gene Names	NR1C2; PPARB; PPAR-delta; NUC1; PPAR-beta

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.