

Rabbit CCND2 Polyclonal Antibody | anti-CCND2 antibody

CCND2 Polyclonal Antibody

CATALOG # AAA174202	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunofluorescence, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

CCND2; Polyclonal Antibody; CCND2 Polyclonal Antibody; CCND 2; ccnd2; CyclinD2; G1/S specific cyclin D2; G1/S-specific cyclin-D2; KIAK0002; MGC102758; MPPH3; anti-CCND2 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity Purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Concentration	1 mg/mL (varies by lot)
Sequence Length	209
Applicable Applications for anti-CCND2 antibody	IF (Immunofluorescence), WB (Western Blot)
Immunogen	Recombinant protein of human CCND2
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES



IF (Immunofluorescence)

Immunofluorescence analysis of U2OS cells using CCND2 antibody.



WB (Western Blot)

Western blot analysis of extracts of various cell lines, using CCND2 antibody.

ADDITIONAL INFORMATION

Related Product Information for anti-CCND2 antibody	The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance through the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin forms a complex with CDK4 or CDK6 and functions as a regulatory subunit of the complex, whose activity is required for cell cycle G1/S transition. This protein has been shown to interact with and be involved in the phosphorylation of tumor suppressor protein Rb. Knockout studies of the homologous gene in mouse suggest the essential roles of this gene in ovarian granulosa and germ cell proliferation. High level expression of this gene was observed in ovarian and testicular tumors. Mutations in this gene are associated with megalencephaly-polymicrogyria-polydactyly-hydrocephalus syndrome 3 (MPPH3).
Product Categories/Family for anti-CCND2 antibody	Cancer; Cell Biology; Epigenetics and Nuclear Signaling

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502617
NCBI GeneID	894
NCBI Accession #	NP_001750.1
NCBI GenBank Nucleotide #	NM_001759.4
UniProt Accession #	P30279; Q13955; Q5U035; A8K531
Molecular Weight	Calculated: 24kDa; 33kDa Observed: 36kDa
NCBI Official Full Name	G1/S-specific cyclin-D2
NCBI Official Synonym Full Names	cyclin D2
NCBI Official Symbol	CCND2
NCBI Official Synonym Symbols	MPPH3; KIAK0002
NCBI Protein Information	G1/S-specific cyclin-D2
UniProt Protein Name	G1/S-specific cyclin-D2
UniProt Gene Name	CCND2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ccnd2-antibody-immunofluorescence-western-blot-elisa/174202>