

Rabbit anti-Human, Mouse WTAP Polyclonal Antibody | anti-WTAP antibody

WTAP Polyclonal Antibody

CATALOG # AAA175204	HOST Rabbit	REACTIVITY Human, Mouse	APPLICATIONS ELISA, Immunohistochemistry
-------------------------------	-----------------------	-----------------------------------	--


PRODUCT SYNONYMS

WTAP; Polyclonal Antibody; WTAP Polyclonal Antibody; DKFZp686F20131; Female-lethal(2)D homolog; FL2D; HFL(2)D; KIAA0105; MGC3925; Mum2; OTTHUMP00000017522; OTTHUMP00000017523; PNAS 132; PNAS-132; PNAS132; Pre mRNA splicing regulator WTAP; Pre-mRNA-splicing regulator WTAP; Putative pre mRNA splicing regulator female lethal 2D homolog; Putative pre mRNA splicing regulator female lethal(2D); Putative pre-mRNA splicing regulator female lethal(2D) homolog; Putative pre-mRNA splicing regulator female-lethal(2D); Wilms tumor 1 associated protein; Wilms tumor 1 associating protein; Wilms tumor 1-associating protein; Wilms' tumor 1 associating protein; Wilms' tumour 1-associating protein; WT1 associated protein; WT1-associated protein; WT1-associating protein; Wtap; anti-WTAP antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purification
Form/Format	PBS with 0.05% NaN3 and 40% Glycerol, pH7.4
Concentration	0.6mg/mL (varies by lot)
Sequence Length	396
Applicable Applications for anti-WTAP antibody	ELISA, IHC (Immunohistochemistry)
Immunogen	Full length fusion protein
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES


IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human brain tissue using WTAP Polyclonal Antibody at dilution of 1:35(x200)


IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using WTAP Polyclonal Antibody at dilution of 1:35(x200)

ADDITIONAL INFORMATION

Related Product Information for anti-WTAP antibody	WTAP, also named as KIAA0105 and hFL(2)D, is previously identified as a protein associated with Wilms' tumor-1 (WT-1) protein that is essential for the development of the genitourinary system. It is a Pre-mRNA-splicing regulator protein. It is a regulatory subunit of the WMM N6-methyltransferase complex which plays a role in the efficiency of mRNA splicing and processing and mRNA stability. It is required for accumulation of METTL3 and METTL14 to nuclear speckle.
Product Categories/Family for anti-WTAP antibody	Cancer; Epigenetics and Nuclear Signaling

NCBI AND UNIPROT INFORMATION

NCBI GI #	395455090
NCBI GeneID	9589
NCBI Accession #	NP_001257460.1; BC000383
NCBI GenBank Nucleotide #	NP_001257460.1
UniProt Accession #	Q15007
NCBI Official Full Name	pre-mRNA-splicing regulator WTAP isoform 1
NCBI Official Synonym Full Names	WT1 associated protein
NCBI Official Symbol	WTAP
NCBI Official Synonym Symbols	Mum2
NCBI Protein Information	pre-mRNA-splicing regulator WTAP
UniProt Protein Name	Pre-mRNA-splicing regulator WTAP
UniProt Gene Name	WTAP
UniProt Synonym Gene Names	KIAA0105; hFL(2)D
UniProt Entry Name	FL2D_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/wtap-antibody-immunohistochemistry-elisa/175204>