

Rabbit anti-Human NCOA4 Polyclonal Antibody | anti-NCOA4 antibody

NCOA4 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA175339	Rabbit	Human	ELISA, Immunohistochemistry


PRODUCT SYNONYMS

NCOA4; Polyclonal Antibody; NCOA4 Polyclonal Antibody; 70 kDa androgen receptor activator; 70 kDa androgen receptor coactivator; 70 kDa AR activator; 70 kDa AR-activator; Androgen receptor coactivator 70 kD; Androgen receptor coactivator 70 kDa protein; Androgen receptor-associated protein of 70 kDa; ARA 70; ARA70; DKFZp762E1112; ELE 1; ELE1; ELE1/ret TK; NCOA 4; NCoA-4; Nuclear receptor coactivator 4; Papillary thyroid carcinoma 3; PTC 3; PTC3; RET activating gene ELE1; Ret activating protein ELE1; Ret-activating protein ELE1; RFG; anti-NCOA4 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purification
Form/Format	PBS with 0.05% NaN ₃ and 40% Glycerol, pH7.4
Concentration	2.04mg/mL (varies by lot)
Sequence Length	650
Applicable Applications for anti-NCOA4 antibody	ELISA, IHC (Immunohistochemistry)
Immunogen	Fusion protein of human NCOA4
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using NCOA4 Polyclonal Antibody at dilution of 1:130 (x200)



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using NCOA4 Polyclonal Antibody at dilution of 1:130 (x200)

ADDITIONAL INFORMATION

Related Product Information for anti-NCOA4 antibody	This gene encodes an androgen receptor coactivator. The encoded protein interacts with the androgen receptor in a ligand-dependent manner to enhance its transcriptional activity. Chromosomal translocations between this gene and the ret tyrosine kinase gene, also located on chromosome 10, have been associated with papillary thyroid carcinoma. Alternatively spliced transcript variants have been described. Pseudogenes are present on chromosomes 4, 5, 10, and 14.
Product Categories/Family for anti-NCOA4 antibody	Epigenetics and Nuclear Signaling; Signal Transduction

NCBI AND UNIPROT INFORMATION

NCBI GI #	223890278
NCBI GeneID	8031
NCBI Accession #	NP_001138732.1; BC012736
NCBI GenBank Nucleotide #	NP_001138732.1
UniProt Accession #	Q13772
NCBI Official Full Name	nuclear receptor coactivator 4 isoform 1
NCBI Official Synonym Full Names	nuclear receptor coactivator 4
NCBI Official Symbol	NCOA4
NCBI Official Synonym Symbols	RFG; ELE1; PTC3; ARA70
NCBI Protein Information	nuclear receptor coactivator 4
UniProt Protein Name	Nuclear receptor coactivator 4
UniProt Gene Name	NCOA4
UniProt Synonym Gene Names	ARA70; ELE1; RFG; NCoA-4; 70 kDa AR-activator
UniProt Entry Name	NCOA4_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/ncoa4-antibody-immunohistochemistry-elisa/175339>