

Rabbit anti-Human, Mouse PRPF40A Polyclonal Antibody | anti-PRPF40A antibody

PRPF40A Polyclonal Antibody

CATALOG # AAA175605	HOST Rabbit	REACTIVITY Human, Mouse	APPLICATIONS ELISA, Immunohistochemistry
-------------------------------	-----------------------	-----------------------------------	--


PRODUCT SYNONYMS

PRPF40A; Polyclonal Antibody; PRPF40A Polyclonal Antibody; Fas ligand associated factor 1; Fas ligand-associated factor 1; FBP 11; FBP11; FLAF 1; FLAF1; FBNP 3; Formin binding protein 11; Formin binding protein 3; Formin-binding protein 11; Formin-binding protein 3; HIP-10; HIP10; Huntingtin interacting protein A; Huntingtin interacting protein HYPA; Huntingtin yeast partner A; Huntingtin-interacting protein 10; Huntingtin-interacting protein A; HYPA; NY REN 6; NY REN 6 antigen; PR40A; Pre mRNA processing factor 40 homolog A; Pre-mRNA-processing factor 40 homolog A; PRP40 pre mRNA processing factor 40 homolog A (S cerevisiae); PRP40 pre mRNA processing factor 40 homolog A (yeast); PRP40 pre mRNA processing factor 40 homolog A; PRPF 40A; Renal carcinoma antigen NY-REN-6; anti-PRPF40A antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purification
Form/Format	PBS with 0.05% NaN ₃ and 40% Glycerol, pH7.4
Concentration	1.08mg/mL (varies by lot)
Sequence Length	414
Applicable Applications for anti-PRPF40A antibody	ELISA, IHC (Immunohistochemistry)
Immunogen	Fusion protein of human PRPF40A
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using PRPF40A Polyclonal Antibody at dilution of 1:60(×200



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using PRPF40A Polyclonal Antibody at dilution of 1:60(×200

ADDITIONAL INFORMATION

Related Product Information for anti-PRPF40A antibody	Binds to WASL/N-WASP and suppresses its translocation from the nucleus to the cytoplasm, thereby inhibiting its cytoplasmic function (By similarity). Plays a role in the regulation of cell morphology and cytoskeletal organization. Required in the control of cell shape and migration. May play a role in cytokinesis. May be involved in pre-mRNA splicing.
Product Categories/Family for anti-PRPF40A antibody	Epigenetics and Nuclear Signaling

NCBI AND UNIPROT INFORMATION

NCBI GI #	116283494
NCBI GeneID	55660
UniProt Accession #	O75400
NCBI Official Full Name	PRPF40A protein, partial
NCBI Official Synonym Full Names	pre-mRNA processing factor 40 homolog A
NCBI Official Symbol	PRPF40A
NCBI Official Synonym Symbols	HYPA; FBP11; FLAF1; FNBP3; HIP10; Prp40; FBP-11; HIP-10; NY-REN-6
NCBI Protein Information	pre-mRNA-processing factor 40 homolog A
UniProt Protein Name	Pre-mRNA-processing factor 40 homolog A
UniProt Gene Name	PRPF40A
UniProt Synonym Gene Names	FBP11; FLAF1; FNBP3; HIP10; HYPA; HIP-10

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/prpf40a-antibody-immunohistochemistry-elisa/175605>