

Rabbit CDKN2AIPNL Polyclonal Antibody | anti-CDKN2AIPNL antibody

CDKN2AIPNL Polyclonal Antibody

CATALOG # AAA176343	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS ELISA, Immunohistochemistry
-------------------------------	-----------------------	--	--

PRODUCT SYNONYMS

CDKN2AIPNL; Polyclonal Antibody; CDKN2AIPNL Polyclonal Antibody; C2AIL; CDKN2A interacting protein N terminal like; CDKN2A interacting protein N terminal like protein; CDKN2A-interacting protein N-terminal-like protein; CDKN2AIP N terminal like protein; CDKN2AIP N-terminal-like protein; Cdkn2aipnl; anti-CDKN2AIPNL antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purification
Form/Format	PBS with 0.05% NaN ₃ and 40% Glycerol, pH7.4
Concentration	0.4mg/mL (varies by lot)
Sequence Length	116
Applicable Applications for anti-CDKN2AIPNL antibody	ELISA, IHC (Immunohistochemistry)
Immunogen	Full length fusion protein
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using CDKN2AIPNL Polyclonal Antibody at dilution of 1:25(×200)



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using CDKN2AIPNL Polyclonal Antibody at dilution of 1:25(×200)

ADDITIONAL INFORMATION

Related Product Information for anti-CDKN2AIPNL antibody	CDKN2AIPNL (CDKN2A interacting protein N-terminal like) is a 116 amino acid protein that belongs to the CARF family. Existing as two alternatively spliced isoforms, CDKN2AIPNL is encoded by a gene that maps to human chromosome 5q31.1. Chromosome 5 contains 181 million base pairs and comprises nearly 6% of the human genome. Chromosome 5 is associated with Cockayne syndrome through the ERCC8 gene and familial adenomatous polyposis through the adenomatous polyposis coli (APC) tumor suppressor gene. Treacher Collins syndrome is also chromosome 5-associated and is caused by insertions or deletions within the TCOF1 gene. Deletion of the p arm of chromosome 5 leads to Cri du chat syndrome, while deletion of the q arm or of chromosome 5 altogether is common in therapy-related acute myelogenous leukemias and myelodysplastic syndrome.
Product Categories/Family for anti-CDKN2AIPNL antibody	Cell Biology

NCBI AND UNIPROT INFORMATION

NCBI GI #	18087821
NCBI GeneID	91368
NCBI Accession #	NP_542387.1; BC018086
NCBI GenBank Nucleotide #	NP_542387.1
UniProt Accession #	Q96HQ2
NCBI Official Full Name	CDKN2AIP N-terminal-like protein
NCBI Official Synonym Full Names	CDKN2A interacting protein N-terminal like
NCBI Official Symbol	CDKN2AIPNL
NCBI Official Synonym Symbols	C2AIL
NCBI Protein Information	CDKN2AIP N-terminal-like protein
UniProt Protein Name	CDKN2AIP N-terminal-like protein
UniProt Gene Name	CDKN2AIPNL
UniProt Entry Name	C2AIL_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/cdkn2aipnl-antibody-immunohistochemistry-elisa/176343>