

Rabbit TADA2A Polyclonal Antibody | anti-TADA2A antibody

TADA2A Polyclonal Antibody

CATALOG # AAA176792	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS ELISA, Immunohistochemistry
-------------------------------	-----------------------	--	--


PRODUCT SYNONYMS

TADA2A; Polyclonal Antibody; TADA2A Polyclonal Antibody; ADA2 ALPHA; ADA2; ADA2 like; ADA2 like protein; Yeast; Homolog of; Alpha; ADA2A; HADA2; KL04P; Tada2l; Transcriptional adapter 2 alpha; Transcriptional adapter 2 like; Transcriptional adaptor 2 (ADA2 homolog; Yeast) like; Transcriptional adaptor 2 (ADA2; Homolog) like; Transcriptional adaptor 2 alpha; Transcriptional adaptor 2A; anti-TADA2A antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purification
Form/Format	PBS with 0.05% NaN ₃ and 40% Glycerol, pH7.4
Concentration	0.9mg/mL (varies by lot)
Sequence Length	443
Applicable Applications for anti-TADA2A antibody	ELISA, IHC (Immunohistochemistry)
Immunogen	Synthetic peptide of human TADA2A
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TADA2A Polyclonal Antibody at dilution of 1:25 (x200)



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TADA2A Polyclonal Antibody at dilution of 1:25 (x200)

ADDITIONAL INFORMATION

Related Product Information for anti-TADA2A antibody	Many DNA-binding transcriptional activator proteins enhance the initiation rate of RNA polymerase II-mediated gene transcription by interacting functionally with the general transcription machinery bound at the basal promoter. Adaptor proteins are usually required for this activation, possibly to acetylate and destabilize nucleosomes, thereby relieving chromatin constraints at the promoter. The protein encoded by this gene is a transcriptional activator adaptor and has been found to be part of the PCAF histone acetylase complex. Several alternatively spliced transcript variants encoding different isoforms of this gene have been described, but the full-length nature of some of these variants has not been determined.
Product Categories/Family for anti-TADA2A antibody	Epigenetics and Nuclear Signaling

NCBI AND UNIPROT INFORMATION

NCBI GI #	260656022
NCBI GeneID	6871
NCBI Accession #	NP_001159577.1
NCBI GenBank Nucleotide #	NP_001159577.1
UniProt Accession #	O75478
NCBI Official Full Name	transcriptional adapter 2-alpha isoform a
NCBI Official Synonym Full Names	transcriptional adaptor 2A
NCBI Official Symbol	TADA2A
NCBI Official Synonym Symbols	ADA2; ADA2A; KL04P; hADA2; TADA2L
NCBI Protein Information	transcriptional adapter 2-alpha
UniProt Protein Name	Transcriptional adapter 2-alpha
UniProt Gene Name	TADA2A
UniProt Synonym Gene Names	TADA2L; ADA2-like protein
UniProt Entry Name	TAD2A_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/tada2a-antibody-immunohistochemistry-elisa/176792>