

Rabbit HLA-DPB1 Polyclonal Antibody | anti-HLA-DPB1 antibody

HLA-DPB1 Polyclonal Antibody

CATALOG # AAA177197	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

HLA-DPB1; Polyclonal Antibody; HLA-DPB1 Polyclonal Antibody; DPB1; HLA-DP; HLA-DP1B; HLA-DPB; major histocompatibility complex; class II; DP beta 1; anti-HLA-DPB1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-HLA-DPB1 antibody	IHC (Immunohistochemistry)
Immunogen	Recombinant fusion protein of human HLA-DPB1 (NP_0021123)
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human liver cancer using HLA-DPB1 Polyclonal Antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human lung cancer using HLA-DPB1 Polyclonal Antibody at dilution of 1:100 (40x lens).



IHC (Immunohistochemistry)
 Immunohistochemistry of paraffin-embedded Rat ovary using HLA-DPB1 Polyclonal Antibody at dilution of 1:100 (40x lens).

ADDITIONAL INFORMATION

Related Product Information for anti-HLA-DPB1 antibody	HLA-DPB belongs to the HLA class II beta chain paralogues. This class II molecule is a heterodimer consisting of an alpha (DPA) and a beta chain (DPB), both anchored in the membrane. It plays a central role in the immune system by presenting peptides derived from extracellular proteins. Class II molecules are expressed in antigen presenting cells (APC: B lymphocytes, dendritic cells, macrophages). The beta chain is approximately 26-28 kDa and its gene contains 6 exons. Exon one encodes the leader peptide, exons 2 and 3 encode the two extracellular domains, exon 4 encodes the transmembrane domain and exon 5 encodes the cytoplasmic tail. Within the DP molecule both the alpha chain and the beta chain contain the polymorphisms specifying the peptide binding specificities, resulting in up to 4 different molecules.
Product Categories/Family for anti-HLA-DPB1 antibody	Cancer ; Immunology ; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	122263
NCBI GeneID	3115
UniProt Accession #	P04440; A0PFJ7; A5I886; A8YPB3; B5U8B4; B7VF80; B7VF87; B8ZX68; B8ZYT0; B9W5S8; B9W6F7; B9W6F9
Molecular Weight	258
NCBI Official Full Name	HLA class II histocompatibility antigen, DP beta 1 chain
NCBI Official Synonym Full Names	major histocompatibility complex, class II, DP beta 1
NCBI Official Symbol	HLA-DPB1
NCBI Official Synonym Symbols	DPB1; HLA-DP; HLA-DPB; HLA-DP1B
NCBI Protein Information	HLA class II histocompatibility antigen, DP beta 1 chain; MHC HLA DPB1; HLA DP14-beta chain; MHC class II HLA-DRB1; class II HLA beta chain; MHC class II antigen DPB1; MHC class II HLA-DP-beta-1; MHC class II antigen DPbeta1; MHC class II antigen beta cha
UniProt Protein Name	HLA class II histocompatibility antigen, DP beta 1 chain
UniProt Gene Name	HLA-DPB1
UniProt Synonym Gene Names	HLA-DP1B
UniProt Entry Name	DPB1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

