

Rabbit MAPK1/MAPK3 Polyclonal Antibody | anti-MAPK1/MAPK3 antibody

MAPK1/MAPK3 Polyclonal Antibody

CATALOG # AAA177418	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunofluorescence
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

MAPK1/MAPK3; Polyclonal Antibody; MAPK1/MAPK3 Polyclonal Antibody; ERK1; ERK2; ERK1/2; anti-MAPK1/MAPK3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-MAPK1/MAPK3 antibody	IF (Immunofluorescence)
Immunogen	Recombinant Protein of human MAPK1/MAPK3
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Confocal immunofluorescence analysis of HeLa cells using MAPK1/MAPK3 Polyclonal Antibody at dilution of 1:200. Blue: DAPI for nuclear staining.



IF (Immunofluorescence)

Immunofluorescence analysis of NIH-3T3 cells using MAPK1/MAPK3 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



IF (Immunofluorescence)

Immunofluorescence analysis of HeLa cells using MAPK1/MAPK3 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.

ADDITIONAL INFORMATION

Related Product Information for anti-MAPK1/MAPK3 antibody	This gene encodes a member of the MAP kinase family. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. The activation of this kinase requires its phosphorylation by upstream kinases. Upon activation, this kinase translocates to the nucleus of the stimulated cells, where it phosphorylates nuclear targets. One study also suggests that this protein acts as a transcriptional repressor independent of its kinase activity. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. Two alternatively spliced transcript variants encoding the same protein, but differing in the UTRs, have been reported for this gene./The protein encoded by this gene is a member of the MAP kinase family. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act in a signaling cascade that regulates various cellular processes such as proliferation, differentiation, and cell cycle progression in response to a variety of extracellular signals. This kinase is activated by upstream kinases, resulting in its translocation to the nucleus where it phosphorylates nuclear targets. Alternatively spliced transcript variants encoding different protein isoforms have been described.
Product Categories/Family for anti-MAPK1/MAPK3 antibody	Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	66932916
NCBI GeneID	5594
NCBI Accession #	NP_002736.3
NCBI GenBank Nucleotide #	NM_002745.4
UniProt Accession #	P28482 ; P27361
Molecular Weight	41,390 Da
NCBI Official Full Name	mitogen-activated protein kinase 1
NCBI Official Synonym Full Names	mitogen-activated protein kinase 1
NCBI Official Symbol	MAPK1
NCBI Official Synonym Symbols	ERK; p38; p40; p41; ERK2; ERT1; MAPK2; PRKM1; PRKM2; P42MAPK; p41mapk
NCBI Protein Information	mitogen-activated protein kinase 1; ERK-2; MAPK 2; p42-MAPK; MAP kinase 1; MAP kinase 2; MAP kinase isoform p42; protein tyrosine kinase ERK2; mitogen-activated protein kinase 2; extracellular signal-regulated kinase 2
UniProt Protein Name	Mitogen-activated protein kinase 1
UniProt Gene Name	MAPK1

UniProt Synonym Gene Names	ERK2; PRKM1; PRKM2; MAP kinase 1; MAPK 1; ERK-2; p42-MAPK; MAP kinase 2; MAPK 2
UniProt Entry Name	MK01_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/mapk1-mapk3-antibody-immunofluorescence-elisa/177418>