

Rabbit DRP1 Polyclonal Antibody | anti-DRP1 antibody

DRP1 Polyclonal Antibody

CATALOG # AAA177462	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunofluorescence, Western Blot
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

DRP1; Polyclonal Antibody; DRP1 Polyclonal Antibody; DNM1L; DLP1; DVLP; DYMPLE; EMPF; EMPF1; HDYNIV; anti-DRP1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH7.3
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-DRP1 antibody	IF (Immunofluorescence), WB (Western Blot)
Immunogen	Recombinant protein of human DRP1
Conjugation	Unconjugated
Preparation and Storage	Store at -20 degree C. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Confocal immunofluorescence analysis of U-2 OS cells using DRP1 Polyclonal Antibody at dilution of 1:200. Blue: DAPI for nuclear staining.




IF (Immunofluorescence)

Immunofluorescence analysis of U2OS cells using DRP1 Polyclonal Antibody at dilution of 1:100. Blue: DAPI for nuclear staining.



IF (Immunofluorescence)

Immunofluorescence analysis of C6 cells using DRP1 Polyclonal Antibody at dilution of 1:100.
Blue: DAPI for nuclear staining.



WB (Western Blot)

Western blot analysis of extracts of various cell lines using DRP1 Polyclonal Antibody at dilution of 1:1000.

ADDITIONAL INFORMATION

Related Product Information for anti-DRP1 antibody	This gene encodes a member of the dynamin superfamily of GTPases. The encoded protein mediates mitochondrial and peroxisomal division, and is involved in developmentally regulated apoptosis and programmed necrosis. Dysfunction of this gene is implicated in several neurological disorders, including Alzheimer's disease. Mutations in this gene are associated with the autosomal dominant disorder, encephalopathy, lethal, due to defective mitochondrial and peroxisomal fission (EMPF). Alternative splicing results in multiple transcript variants encoding different isoforms.
Product Categories/Family for anti-DRP1 antibody	Cancer ; Cell Biology ; Metabolism ; Neuroscience ; Signal Transduction ; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	171460918
NCBI GeneID	10059
NCBI Accession #	NP_005681.2
NCBI GenBank Nucleotide #	NM_005690.4
UniProt Accession #	O00429; O14541; O60709; Q7L6B3; Q8TBT7; Q9BWM1; Q9Y5J2; A8K4X9; B4DSU8
Molecular Weight	82KD
NCBI Official Full Name	dynamin-1-like protein isoform 3
NCBI Official Synonym Full Names	dynamin 1-like
NCBI Official Symbol	DNM1L
NCBI Official Synonym Symbols	DLP1; DRP1; DVLP; EMPF; DYMPLE; HDYNIV
NCBI Protein Information	dynamin-1-like protein; dynamin-like protein 4; dynamin-like protein IV; Dnm1p/Vps1p-like protein; dynamin-related protein 1; dynamin family member proline-rich carboxyl-terminal domain less
UniProt Protein Name	Dynamin-1-like protein
UniProt Gene Name	DNM1L
UniProt Synonym Gene Names	DLP1; DRP1; DVLP; Dymple; HdynIV
UniProt Entry Name	DNM1L_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

