

Rabbit IFNL3 Polyclonal Antibody | anti-IFNL3 antibody

IFNL3 Polyclonal Antibody

CATALOG # AAA178694	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Immunohistochemistry
-------------------------------	-----------------------	--	---


PRODUCT SYNONYMS

IFNL3; Polyclonal Antibody; IFNL3 Polyclonal Antibody; IFN-lambda-3; IFN-lambda-4; IL-28B; IL-28C; IL28B; IL28C; anti-IFNL3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH 7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-IFNL3 antibody	IHC (Immunohistochemistry)
Immunogen	Recombinant fusion protein of human IFNL3
Research Area	Immunology, Signal Transduction
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded mouse lung using IFNL3 Polyclonal antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human gastric cancer using IFNL3 Polyclonal antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human stomach using IFNL3 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat brain using IFNL3 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.

ADDITIONAL INFORMATION

Related Product Information for anti-IFNL3 antibody	This gene encodes a cytokine distantly related to type I interferons and the IL-10 family. This gene, interleukin 28A (IL28A), and interleukin 29 (IL29) are three closely related cytokine genes that form a cytokine gene cluster on a chromosomal region mapped to 19q13. Expression of the cytokines encoded by the three genes can be induced by viral infection. All three cytokines have been shown to interact with a heterodimeric class II cytokine receptor that consists of interleukin 10 receptor, beta (IL10RB) and interleukin 28 receptor, alpha (IL28RA).
Product Categories/Family for anti-IFNL3 antibody	Antibodies ; Primary Antibodies ; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	28144901
NCBI GeneID	282617
NCBI Accession #	NP_742151.2
NCBI GenBank Nucleotide #	NM_172139.2
UniProt Accession #	Q8IZI9 ; Q6VN56 ; Q7Z4J3 ; Q8IWL6 ; A2BDE1
Molecular Weight	21,706 Da
NCBI Official Full Name	interferon lambda-3
NCBI Official Synonym Full Names	interferon, lambda 3
NCBI Official Symbol	IFNL3
NCBI Official Synonym Symbols	IL28B; IL28C; IL-28B
NCBI Protein Information	interferon lambda-3; IL-28C; IFN-lambda-3; IFN-lambda-4; interleukin 28C; interleukin-28B; interleukin-28C; cytokine Zcyto22; interferon lambda-4; interferon, lambda 4; interleukin 28B (interferon, lambda 3)
UniProt Protein Name	Interferon lambda-3
UniProt Gene Name	IFNL3
UniProt Synonym Gene Names	IL28B; IL28C; ZCYTO22; IFN-lambda-3; IL-28B; IL-28C
UniProt Entry Name	IFNL3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

