

Rabbit KCNJ3 Polyclonal Antibody | anti-KCNJ3 antibody

KCNJ3 Polyclonal Antibody

CATALOG # AAA178935	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot
-------------------------------	-----------------------	--	-------------------------------------


PRODUCT SYNONYMS

KCNJ3; Polyclonal Antibody; KCNJ3 Polyclonal Antibody; GIRK1; KGA; KIR3.1; anti-KCNJ3 antibody


PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.02% sodium azide, 50% glycerol, pH 7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-KCNJ3 antibody	WB (Western Blot)
Immunogen	A synthetic peptide of human KCNJ3
Research Area	Cardiovascular, Neuroscience
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES


WB (Western Blot)

Western blot analysis of extracts of mouse brain using KCNJ3 Polyclonal Antibody at 1:1000 dilution.


WB (Western Blot)

Western blot analysis of extracts of MCF7 cells using KCNJ3 Polyclonal Antibody at 1:1000 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-KCNJ3 antibody	Potassium channels are present in most mammalian cells, where they participate in a wide range of physiologic responses. The protein encoded by this gene is an integral membrane protein and inward-rectifier type potassium channel. The encoded protein, which has a greater tendency to allow potassium to flow into a cell rather than out of a cell, is controlled by G-proteins and plays an important role in regulating heartbeat. It associates with three other G-protein-activated potassium channels to form a heteromultimeric pore-forming complex that also couples to neurotransmitter receptors in the brain and whereby channel activation can inhibit action potential firing by hyperpolarizing the plasma membrane. These multimeric G-protein-gated inwardly-rectifying potassium (GIRK) channels may play a role in the pathophysiology of epilepsy, addiction, Down's syndrome, ataxia, and Parkinson's disease. Alternative splicing results in multiple transcript variants encoding distinct proteins.
Product Categories/Family for anti-KCNJ3 antibody	Antibodies ; Primary Antibodies ; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	386781846
NCBI GeneID	3760
NCBI Accession #	NP_001247437.1
NCBI GenBank Nucleotide #	NM_001260508.1
UniProt Accession #	P48549 ; Q8TBI0 ; B4DEW7
Molecular Weight	56,603 Da
NCBI Official Full Name	G protein-activated inward rectifier potassium channel 1 isoform 2
NCBI Official Synonym Full Names	potassium inwardly-rectifying channel, subfamily J, member 3
NCBI Official Symbol	KCNJ3
NCBI Official Synonym Symbols	KGA; GIRK1; KIR3.1
NCBI Protein Information	G protein-activated inward rectifier potassium channel 1; GIRK-1; inward rectifier K+ channel KIR3.1; inward rectifier K(+) channel Kir3.1; potassium channel, inwardly rectifying subfamily J member 3; potassium inwardly-rectifying channel subfamily J memb
UniProt Protein Name	G protein-activated inward rectifier potassium channel 1
UniProt Gene Name	KCNJ3
UniProt Synonym Gene Names	GIRK1; GIRK-1
UniProt Entry Name	IRK3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.