

Rabbit PSMA/FOLH1 Polyclonal Antibody | anti-PSMA/FOLH1 antibody

PSMA/FOLH1 Polyclonal Antibody

CATALOG # AAA179110	HOST Rabbit	REACTIVITY Human, Mouse, Rat	APPLICATIONS Western Blot
-------------------------------	-----------------------	--	-------------------------------------


PRODUCT SYNONYMS

PSMA/FOLH1; Polyclonal Antibody; PSMA/FOLH1 Polyclonal Antibody; FGCP; FOLH; GCP2; GCPII; NAALAD1; NAALAdase; PSM; PSMA; mGCP; FOLH1; anti-PSMA/FOLH1 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.05% proclin300,50% glycerol,pH7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-PSMA/FOLH1 antibody	WB (Western Blot)
Immunogen	A synthetic peptide of human PSMA/FOLH1
Research Area	Cancer, Metabolism, Signal Transduction
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES




WB (Western Blot)

Western blot analysis of extracts of Mouse kidney using PSMA/FOLH1 Polyclonal Antibody at 1:500 dilution.



WB (Western Blot)

Western blot analysis of extracts of Rat kidney using PSMA/FOLH1 Polyclonal Antibody at 1:500 dilution.



WB (Western Blot)

Western blot analysis of extracts of various cell lines using PSMA/FOLH1 Polyclonal Antibody at 1:500 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-PSMA/FOLH1 antibody

This gene encodes a type II transmembrane glycoprotein belonging to the M28 peptidase family. The protein acts as a glutamate carboxypeptidase on different alternative substrates, including the nutrient folate and the neuropeptide N-acetyl-L-aspartyl-L-glutamate and is expressed in a number of tissues such as prostate, central and peripheral nervous system and kidney. A mutation in this gene may be associated with impaired intestinal absorption of dietary folates, resulting in low blood folate levels and consequent hyperhomocysteinemia. Expression of this protein in the brain may be involved in a number of pathological conditions associated with glutamate excitotoxicity. In the prostate the protein is up-regulated in cancerous cells and is used as an effective test and prognostic indicator of prostate cancer. This gene likely arose from a duplication event of a nearby chromosomal region. Alternative splicing gives rise to multiple transcript variants encoding several different isoforms. [provided by RefSeq, Jul 2010]

Product Categories/Family for anti-PSMA/FOLH1 antibody

[Antibodies](#); [Primary Antibodies](#); [Polyclonal Antibody](#)

NCBI AND UNIPROT INFORMATION

NCBI GI #	548615
NCBI GeneID	2346
UniProt Accession #	Q04609 ; O43748 ; Q16305 ; Q541A4 ; Q8TAY3 ; Q9NP15 ; A4UU12 ; A9CB79 ; B7Z312 ; B7Z343 ; D3DQS5 ; E9PDX8
Molecular Weight	84kDa
NCBI Official Full Name	Glutamate carboxypeptidase 2
NCBI Official Synonym Full Names	folate hydrolase (prostate-specific membrane antigen) 1
NCBI Official Symbol	FOLH1
NCBI Official Synonym Symbols	PSM; FGCP; FOLH; GCP2; PSMA; mGCP; GCPII; NAALAD1; NAALAdase
NCBI Protein Information	glutamate carboxypeptidase 2; NAALADase I; glutamate carboxylase II; glutamate carboxypeptidase II; membrane glutamate carboxypeptidase; cell growth-inhibiting gene 27 protein; folylpoly-gamma-glutamate carboxypeptidase; prostate specific membrane antigen
UniProt Protein Name	Glutamate carboxypeptidase 2
UniProt Gene Name	FOLH1
UniProt Synonym Gene Names	FOLH; NAALAD1; PSM; PSMA; FGCP; GCPII; mGCP; NAALADase I; PSM; PSMA
UniProt Entry Name	FOLH1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/psma-folh1-antibody-western-blot-elisa/179110>