

Rabbit anti-Human, Mouse MRE11 Polyclonal Antibody | anti-MRE11 antibody

MRE11 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA179380	Rabbit	Human, Mouse	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

MRE11; Polyclonal Antibody; MRE11 Polyclonal Antibody; ATLD; HNGS1; MRE11A; MRE11B; anti-MRE11 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.05% proclin300,50% glycerol,pH7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-MRE11 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fusion protein of human MRE11
Research Area	Cancer, Epigenetics and Nuclear Signaling
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human esophageal cancer using MRE11 Polyclonal Antibody at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded human colon carcinoma using MRE11 Polyclonal Antibody at dilution of 1:50 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



WB (Western Blot)

Western blot analysis of extracts of various cell lines using MRE11 Polyclonal Antibody at 1:1000 dilution.



WB (Western Blot)

Western blot analysis of extracts of K-562 cells using MRE11 Polyclonal Antibody at 1:1000 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-MRE11 antibody	This gene encodes a nuclear protein involved in homologous recombination, telomere length maintenance, and DNA double-strand break repair. By itself, the protein has 3' to 5' exonuclease activity and endonuclease activity. The protein forms a complex with the RAD50 homolog; this complex is required for nonhomologous joining of DNA ends and possesses increased single-stranded DNA endonuclease and 3' to 5' exonuclease activities. In conjunction with a DNA ligase, this protein promotes the joining of noncomplementary ends in vitro using short homologies near the ends of the DNA fragments. This gene has a pseudogene on chromosome 3. Alternative splicing of this gene results in two transcript variants encoding different isoforms.
Product Categories/Family for anti-MRE11 antibody	Antibodies ; Primary Antibodies ; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	24234690
NCBI GeneID	4361
NCBI Accession #	NP_005581.2
NCBI GenBank Nucleotide #	NM_005590.3
UniProt Accession #	P49959; O43475
Molecular Weight	80,593 Da
NCBI Official Full Name	double-strand break repair protein MRE11A isoform 2
NCBI Official Synonym Full Names	MRE11 meiotic recombination 11 homolog A (S. cerevisiae)
NCBI Official Symbol	MRE11A
NCBI Official Synonym Symbols	ATLD; HNGS1; MRE11; MRE11B
NCBI Protein Information	double-strand break repair protein MRE11A; AT-like disease; MRE11 homolog 1; MRE11 homolog A; endo/exonuclease Mre11; meiotic recombination 11 homolog 1; meiotic recombination 11 homolog A; DNA recombination and repair protein
UniProt Protein Name	Double-strand break repair protein MRE11A
UniProt Gene Name	MRE11A
UniProt Synonym Gene Names	HNGS1; MRE11; MRE11 homolog 1
UniProt Entry Name	MRE11_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/mre11-antibody-immunohistochemistry-western-blot-elisa/179380>