

Rabbit DUSP6 Polyclonal Antibody | anti-DUSP6 antibody

DUSP6 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA179395	Rabbit	Human, Mouse, Rat	Immunofluorescence, Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

DUSP6; Polyclonal Antibody; DUSP6 Polyclonal Antibody; HH19; MKP3; PYST1; anti-DUSP6 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse, Rat
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Affinity purification
Form/Format	PBS with 0.01% thiomersal, 50% glycerol, pH 7.3.
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-DUSP6 antibody	IF (Immunofluorescence), IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant fusion protein of human DUSP6
Research Area	Cancer, Neuroscience, Signal Transduction
Preparation and Storage	Storage: -20 degree C/One year. Avoid freeze/thaw cycles.

IMAGES




IF (Immunofluorescence)

Immunofluorescence analysis of C6 cells using DUSP6 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded rat brain using DUSP6 Polyclonal Antibody at dilution of 1:100 (40x lens). Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



WB (Western Blot)

Western blot analysis of extracts of various cell lines using DUSP6 Polyclonal Antibody at 1:1000 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-DUSP6 antibody	The protein encoded by this gene is member of the dual specificity protein phosphatase subfamily. These phosphatases inactivate their target kinases by dephosphorylating both the phosphoserine/threonine and phosphotyrosine residues. They negatively regulate members of the mitogen-activated protein (MAP) kinase superfamily (MAPK/ERK, SAPK/JNK, p38), which are associated with cellular proliferation and differentiation. Different members of the family of dual specificity phosphatases show distinct substrate specificities for various MAP kinases, different tissue distribution and subcellular localization, and different modes of inducibility of their expression by extracellular stimuli. This gene product inactivates ERK2, is expressed in a variety of tissues with the highest levels in heart and pancreas, and unlike most other members of this family, is localized in the cytoplasm. Mutations in this gene have been associated with congenital hypogonadotropic hypogonadism. Alternatively spliced transcript variants have been found for this gene.
Product Categories/Family for anti-DUSP6 antibody	Antibodies; Primary Antibodies; Polyclonal Antibody

NCBI AND UNIPROT INFORMATION

NCBI GI #	42764683
NCBI GeneID	1848
NCBI Accession #	NP_001937.2
NCBI GenBank Nucleotide #	NM_001946.2
UniProt Accession #	Q16828 ; O75109 ; Q53Y75 ; Q9BSH6
Molecular Weight	42,320 Da
NCBI Official Full Name	dual specificity protein phosphatase 6 isoform a
NCBI Official Synonym Full Names	dual specificity phosphatase 6
NCBI Official Symbol	DUSP6
NCBI Official Synonym Symbols	MKP3; PYST1
NCBI Protein Information	dual specificity protein phosphatase 6; MAP kinase phosphatase 3; dual specificity protein phosphatase PYST1; serine/threonine specific protein phosphatase; mitogen-activated protein kinase phosphatase 3
UniProt Protein Name	Dual specificity protein phosphatase 6
UniProt Gene Name	DUSP6
UniProt Synonym Gene Names	MKP3; PYST1; MAP kinase phosphatase 3; MKP-3
UniProt Entry Name	DUS6_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/polyclonal/dusp6-antibody-immunofluorescence-immunohistochemistry-western-blot-elisa/179395>