

Rabbit anti-Human, Mouse Galectin 3 Polyclonal Antibody | anti-Galectin3 antibody

Galectin 3 Polyclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA179756	Rabbit	Human, Mouse	Immunohistochemistry, Western Blot


PRODUCT SYNONYMS

Galectin 3; Polyclonal Antibody; Galectin 3 Polyclonal Antibody; 35 kDa lectin; Carbohydrate binding protein 35; Carbohydrate-binding protein 35; CBP 35; CBP35; Gal-3; GAL3; Galactose-specific lectin 3; Galactoside-binding protein; GALBP; Galectin 3 internal gene; included; Galectin-3; Galectin3; GALIG; GBP; IgE binding protein; IgE-binding protein; L 31; L 34; L-31; L-34 galactoside-binding lectin; L31; Laminin-binding protein; Lectin L-29; Lectin; galactose binding; soluble 3; LEG3; LGALS2; LGALS3; MAC 2 antigen; Mac-2; Mac-2 antigen; MAC2; Macrophage galactose-specific lectin; MGC105387; anti-Galectin3 antibody

PRODUCT SPECIFICATIONS


Host	Rabbit
Reactivity	Human, Mouse
Clonality	Polyclonal
Isotype	IgG
Purity/Purification	Antigen Affinity Purification
Form/Format	PBS with 0.02% sodium azide, 1% protective protein and 50% glycerol, pH 7.4
Concentration	1mg/mL (varies by lot)
Applicable Applications for anti-Galectin3 antibody	IHC (Immunohistochemistry), WB (Western Blot)
Immunogen	Recombinant Human LGALS3 protein expressed by E coli
Preparation and Storage	Store at -20 degree C Valid for 12 months. Avoid freeze/thaw cycles.

IMAGES




IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human stomach cancer using LGALS3 Polyclonal Antibody at dilution of 1:300



IHC (Immunohistochemistry)

Immunohistochemistry of paraffin-embedded Human colon cancer using LGALS3 Polyclonal Antibody at dilution of 1:300



WB (Western Blot)

Western Blot analysis of 1)MCF-7, 2)NIH/3T3, 3)Raw264.7 using Galectin 3 Poyclonal Antibody at dilution of 1:1000.

ADDITIONAL INFORMATION

Related Product Information for anti-Galectin3 antibody	Galectins are a family of animal lectins defined by shared characteristic amino-acid sequences and affinity for beta-galactose-containing oligosac-charides. Galectin-3 contains one carbohydrate recognition domain (CRD) and a proline- and glycine-rich N-terminal domain through which is able to form oligomers. Galectin-3 is widely expressed in many normal tissues and a variety of tumors. It is found intracellularly in nucleus and cytoplasm or secreted outside of cell, being present on the cell surface or in the extracellular space. Galectin-3 is involved in various biological processes including cell growth, adhesion, differentiation, apoptosis, angiogenesis, immune response, neoplastic transformation and metastasis.
Product Categories/Family for anti-Galectin3 antibody	Polyclonal Antibodies ; Primary Antibodies ; Polyclonal Antibodies ; Cell Biology ; Epigenetics and Nuclear Signaling ; Stem Cells ; Cancer

NCBI AND UNIPROT INFORMATION

NCBI GI #	115430223
NCBI GeneID	3958
NCBI Accession #	NP_002297.2
NCBI GenBank Nucleotide #	NM_002306.3
UniProt Accession #	P17931 ; Q16005 ; Q6IBA7 ; Q96J47 ; B2RC38
Molecular Weight	26,152 Da
NCBI Official Full Name	galectin-3 isoform 1
NCBI Official Synonym Full Names	lectin, galactoside-binding, soluble, 3
NCBI Official Symbol	LGALS3
NCBI Official Synonym Symbols	L31; GAL3; MAC2; CBP35; GALBP; GALIG; LGALS2
NCBI Protein Information	galectin-3; lectin L-29; 35 kDa lectin; MAC-2 antigen; IgE-binding protein; laminin-binding protein; galactose-specific lectin 3; carbohydrate-binding protein 35
UniProt Protein Name	Galectin-3
UniProt Gene Name	LGALS3
UniProt Synonym Gene Names	MAC2; Gal-3; CBP 35; GALBP
UniProt Entry Name	LEG3_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

