

Bovine Carboxy-terminal telopeptide type I collagen (ICTP) ELISA Kit | ICTP elisa kit

Bovine Carboxy-terminal telopeptide type I collagen (ICTP) ELISA Kit

CATALOG #
AAA181425

REACTIVITY
Bovine


PRODUCT SYNONYMS

Carboxy-terminal telopeptide type I collagen (ICTP); Bovine Carboxy-terminal telopeptide type I collagen (ICTP) ELISA Kit; ICTP elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Bovine
Specificity	No cross-reaction with other factors.
Sequence Length	1464
Samples	Serum, plasma or cell culture supernatant
Assay Type	Quantitative Sandwich
Detection Range	20 ng/ml-0.312 ng/ml
Sensitivity	Up to 0.06 ng/ml.
Intra-assay Precision	<= 8%
Inter-assay Precision	<= 12%
Preparation and Storage	Store all reagents at 2-8 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ICTP elisa kit

Principle of the Assay: This experiment use double-sandwich elisa technique and the ELISA Kit provided is typical. The pre-coated antibody is Bovine ICTP monoclonal antibody and the detecting antibody is polyclonal antibody with biotin labeled. Samples and biotin labeling antibody are added into ELISA plate wells and washed out with PBS or TBS. Then Avidin-peroxidase conjugates are added to ELISA wells in order; Use TMB substrate for coloring after reactant thoroughly washed out by PBS or TBS. TMB turns into blue in peroxidase catalytic and finally turns into yellow under the action of acid. The color depth and the testing factors in samples are positively correlated.

NCBI AND UNIPROT INFORMATION

NCBI GI #	296439504
NCBI GeneID	1277
Molecular Weight	138,941 Da
NCBI Official Full Name	Collagen alpha-1(I) chain

NCBI Official Synonym Full Names	collagen type I alpha 1 chain
NCBI Official Symbol	COL1A1
NCBI Official Synonym Symbols	OI1; OI2; OI3; OI4; EDSC
NCBI Protein Information	collagen alpha-1(I) chain
UniProt Protein Name	Collagen alpha-1(I) chain
UniProt Gene Name	COL1A1
UniProt Entry Name	CO1A1_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/bovine-ovine-elisa-kits/carboxy-terminal-telopeptide-type-i-collagen-ictp/181425>