

Human Secretin (SCT) ELISA Kit | SCT elisa kit

Human Secretin (SCT) ELISA Kit

CATALOG #
AAA182225

REACTIVITY
Human


PRODUCT SYNONYMS

Secretin (SCT); Human Secretin (SCT) ELISA Kit; SCT elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Secretin (SCT). No significant cross-reactivity or interference between Secretin (SCT) and analogues was observed.
Sequence Length	121
Assay Type	Competitive Inhibition
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates and Other Biological Fluids
Detection Range	18.52-1,500pg/mL
Sensitivity	< 7.17pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Secretin (SCT) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Secretin (SCT) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for SCT elisa kit	This assay employs the competitive inhibition enzyme immunoassay technique. A monoclonal antibody specific to Secretin (SCT) has been pre-coated onto a microplate. A competitive inhibition reaction is launched between biotin labeled Secretin (SCT) and unlabeled Secretin (SCT) (Standards or samples) with the pre-coated antibody specific to Secretin (SCT). After incubation the unbound conjugate is washed off. Next, avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. The amount of bound HRP conjugate is reverse proportional to the concentration of Secretin (SCT) in the sample. After addition of the substrate solution, the intensity of color developed is reverse proportional to the concentration of Secretin (SCT) in the sample.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	11345450
NCBI GeneID	6343
NCBI Accession #	NP_068739.1
NCBI GenBank Nucleotide #	NM_021920.3
UniProt Accession #	P09683
Molecular Weight	13,016 Da
NCBI Official Full Name	secretin preproprotein
NCBI Official Synonym Full Names	secretin
NCBI Official Symbol	SCT
NCBI Protein Information	secretin
UniProt Protein Name	Secretin
UniProt Gene Name	SCT

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.