

Human Metallothionein 1M (MT1M) ELISA Kit | MT1M elisa kit

Human Metallothionein 1M (MT1M) ELISA Kit

CATALOG #
AAA182373

REACTIVITY
Human


PRODUCT SYNONYMS

Metallothionein 1M (MT1M); Human Metallothionein 1M (MT1M) ELISA Kit; MT1K;; MT1M elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Metallothionein 1M (MT1M). No significant cross-reactivity or interference between Metallothionein 1M (MT1M) and analogues was observed.
Sequence Length	61
Assay Type	Competitive Inhibition
Samples	Serum, Plasma and Other Biological Fluids
Detection Range	2.47-200ng/mL
Sensitivity	< 0.97ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Metallothionein 1M (MT1M) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Metallothionein 1M (MT1M) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MT1M elisa kit	This assay employs the competitive inhibition enzyme immunoassay technique. A monoclonal antibody specific to Metallothionein 1M (MT1M) has been pre-coated onto a microplate. A competitive inhibition reaction is launched between biotin labeled Metallothionein 1M (MT1M) and unlabeled Metallothionein 1M (MT1M) (Standards or samples) with the pre-coated antibody specific to Metallothionein 1M (MT1M). After incubation the unbound conjugate is washed off. Next, avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. The amount of bound HRP conjugate is reverse proportional to the concentration of Metallothionein 1M (MT1M) in the sample. After addition of the substrate solution, the intensity of color developed is reverse proportional to the concentration of Metallothionein 1M (MT1M) in the sample.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	28866966
NCBI GeneID	4499
NCBI Accession #	NP_789846.1
NCBI GenBank Nucleotide #	NM_176870.2
UniProt Accession #	Q8N339; Q8TDN3
Molecular Weight	6,110 Da
NCBI Official Full Name	metallothionein-1M
NCBI Official Synonym Full Names	metallothionein 1M
NCBI Official Symbol	MT1M
NCBI Official Synonym Symbols	MT1; MT1K; MT-1M; MT-IM
NCBI Protein Information	metallothionein-1M
UniProt Protein Name	Metallothionein-1M
UniProt Gene Name	MT1M
UniProt Synonym Gene Names	MT1K; MT-1M; MT-IM

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.