

Human Matrix Metalloproteinase 8 (MMP8) ELISA Kit | MMP8 elisa kit

Human Matrix Metalloproteinase 8 (MMP8) ELISA Kit

CATALOG #
AAA182871

REACTIVITY
Human


PRODUCT SYNONYMS

Matrix Metalloproteinase 8 (MMP8); Human Matrix Metalloproteinase 8 (MMP8) ELISA Kit; CLG2; HNC; PMNL-CL; Collagenase 2; Neutrophil Collagenase; PMNL collagenase; MMP8 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Matrix Metalloproteinase 8 (MMP8). No significant cross-reactivity or interference between Matrix Metalloproteinase 8 (MMP8) and analogues was observed.
Sequence Length	467
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates and Other Biological Fluids
Detection Range	78-5,000pg/mL
Sensitivity	< 28pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Matrix Metalloproteinase 8 (MMP8) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Matrix Metalloproteinase 8 (MMP8) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MMP8 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Matrix Metalloproteinase 8 (MMP8). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Matrix Metalloproteinase 8 (MMP8). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Matrix Metalloproteinase 8 (MMP8), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Matrix Metalloproteinase 8 (MMP8) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	71648770
NCBI GeneID	4317
UniProt Accession #	P22894; Q45F99
Molecular Weight	53,412 Da
NCBI Official Full Name	matrix metalloproteinase 8 (neutrophil collagenase)
NCBI Official Synonym Full Names	matrix metalloproteinase 8
NCBI Official Symbol	MMP8
NCBI Official Synonym Symbols	HNC; CLG1; MMP-8; PMNL-CL
NCBI Protein Information	neutrophil collagenase
UniProt Protein Name	Neutrophil collagenase
UniProt Gene Name	MMP8
UniProt Synonym Gene Names	CLG1; MMP-8; PMNL-CL

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/matrix-metalloproteinase-8-mmp8/182871>