

Simian Nerve Growth Factor (NGF) ELISA Kit | NGF elisa kit

Simian Nerve Growth Factor (NGF) ELISA Kit

CATALOG #
AAA182889

REACTIVITY
Simian


PRODUCT SYNONYMS

Nerve Growth Factor (NGF); Simian Nerve Growth Factor (NGF) ELISA Kit; NGFB; Beta-NGF; HSN5; NGF-B; Beta-Nerve Growth Factor; NGF elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Simian
Specificity	This assay has high sensitivity and excellent specificity for detection of Nerve Growth Factor (NGF). No significant cross-reactivity or interference between Nerve Growth Factor (NGF) and analogues was observed.
Sequence Length	194
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates and Other Biological Fluids
Detection Range	15.62-1000pg/mL
Sensitivity	< 6.2pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Nerve Growth Factor (NGF) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Nerve Growth Factor (NGF) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for NGF elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Nerve Growth Factor (NGF). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Nerve Growth Factor (NGF). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Nerve Growth Factor (NGF), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Nerve Growth Factor (NGF) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	42409517
NCBI GeneID	58133
NCBI Accession #	NP_954680.1
NCBI GenBank Nucleotide #	NM_199210.1
UniProt Accession #	Q6YBR5; Q504K7
Molecular Weight	21,903 Da
NCBI Official Full Name	nerve growth factor
NCBI Official Synonym Full Names	nerve growth factor b (beta polypeptide)
NCBI Official Symbol	ngfb
NCBI Official Synonym Symbols	ngf; ns:zft386; xx:zft386; zgc:109730
NCBI Protein Information	nerve growth factor
UniProt Protein Name	Nerve growth factor
UniProt Gene Name	ngf
UniProt Synonym Gene Names	ngfb; NGF; zNGF

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.