

Human Keratin 7 (KRT7) ELISA Kit | KRT7 elisa kit

Human Keratin 7 (KRT7) ELISA Kit

CATALOG #
AAA183574

REACTIVITY
Human


PRODUCT SYNONYMS

Keratin 7 (KRT7); Human Keratin 7 (KRT7) ELISA Kit; CK7; K2C7; K7; SCL; Cytokeratin 7; Sarcolectin; Keratin; 55K Type II Cytoskeletal; type II cytoskeletal 7; KRT7 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Keratin 7 (KRT7). No significant cross-reactivity or interference between Keratin 7 (KRT7) and analogues was observed.
Sequence Length	469
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates and Other Biological Fluids
Detection Range	78-5000pg/mL
Sensitivity	< 28pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Keratin 7 (KRT7) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Keratin 7 (KRT7) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for KRT7 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Keratin 7 (KRT7). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Keratin 7 (KRT7). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Keratin 7 (KRT7), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Keratin 7 (KRT7) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	67782365
NCBI GeneID	3855
NCBI Accession #	NP_005547.3
NCBI GenBank Nucleotide #	NM_005556.3
UniProt Accession #	P08729; Q92676; Q9BUD8; Q9Y3R7
Molecular Weight	51,386 Da
NCBI Official Full Name	keratin, type II cytoskeletal 7
NCBI Official Synonym Full Names	keratin 7
NCBI Official Symbol	KRT7
NCBI Official Synonym Symbols	K7; CK7; SCL; K2C7
NCBI Protein Information	keratin, type II cytoskeletal 7
UniProt Protein Name	Keratin, type II cytoskeletal 7
UniProt Gene Name	KRT7
UniProt Synonym Gene Names	SCL; CK-7; K7

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.