

Human Epidermal Growth Factor (EGF) ELISA Kit | EGF elisa kit

Human Epidermal Growth Factor (EGF) ELISA Kit

CATALOG #
AAA183581

REACTIVITY
Human


PRODUCT SYNONYMS

Epidermal Growth Factor (EGF); Human Epidermal Growth Factor (EGF) ELISA Kit; URG; Beta-Urogastrone; Pro-epidermal growth factor; EGF elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Epidermal Growth Factor (EGF). No significant cross-reactivity or interference between Epidermal Growth Factor (EGF) and analogues was observed.
Sequence Length	53
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates and Other Biological Fluids
Detection Range	3.9-250pg/mL
Sensitivity	< 1.5pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Epidermal Growth Factor (EGF) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Epidermal Growth Factor (EGF) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for EGF elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Epidermal Growth Factor (EGF). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Epidermal Growth Factor (EGF). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Epidermal Growth Factor (EGF), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Epidermal Growth Factor (EGF) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	46242544
NCBI GeneID	1950
UniProt Accession #	P01133; Q52LZ6; B4DRK7; E7EVD2; E9PBF0
Molecular Weight	129,746 Da
NCBI Official Full Name	epidermal growth factor, partial
NCBI Official Synonym Full Names	epidermal growth factor
NCBI Official Symbol	EGF
NCBI Official Synonym Symbols	URG; HOMG4
NCBI Protein Information	pro-epidermal growth factor
UniProt Protein Name	Pro-epidermal growth factor
UniProt Gene Name	EGF
UniProt Synonym Gene Names	EGF

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/epidermal-growth-factor-egf/183581>