

Mouse Apolipoprotein A2 (APOA2) ELISA Kit | APOA2 elisa kit

Mouse Apolipoprotein A2 (APOA2) ELISA Kit

CATALOG #
AAA183673

REACTIVITY
Mouse


PRODUCT SYNONYMS

Apolipoprotein A2 (APOA2); Mouse Apolipoprotein A2 (APOA2) ELISA Kit; Apo-A2; Apolipoprotein A-II; ProapoA-II; Truncated apolipoprotein A-II; APOA2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of APOA2. No significant cross-reactivity or interference between APOA2 and analogues was observed.
Sequence Length	100
Assay Type	Quantitative Sandwich
Samples	Mouse serum, plasma and other biological fluids
Detection Range	6.25-400ng/mL
Sensitivity	< 2.66ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level APOA2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level APOA2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for APOA2 elisa kit	Principle of the Assay: The microplate provided in this kit has been pre-coated with an antibody specific to APOA2. Standards or samples are then added to the appropriate microplate wells with a biotin-conjugated antibody specific to APOA2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain APOA2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of APOA2 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of APOA2 in mouse serum, plasma and other biological fluids.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	4502149
NCBI GeneID	336
NCBI Accession #	NP_001634.1
NCBI GenBank Nucleotide #	NM_001643.1
UniProt Accession #	P02652; B2R524
Molecular Weight	11,175 Da
NCBI Official Full Name	apolipoprotein A-II preproprotein
NCBI Official Synonym Full Names	apolipoprotein A2
NCBI Official Symbol	APOA2
NCBI Official Synonym Symbols	apoAII; Apo-AII; ApoA-II
NCBI Protein Information	apolipoprotein A-II
UniProt Protein Name	Apolipoprotein A-II
UniProt Gene Name	APOA2
UniProt Synonym Gene Names	Apo-AII; ApoA-II; ProapoA-II

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/apolipoprotein-a2-apoa2/183673>