

Mouse Mothers Against Decapentaplegic Homolog 1 (Smad1) ELISA Kit | Smad1 elisa kit

Mouse Mothers Against Decapentaplegic Homolog 1 (Smad1) ELISA Kit

CATALOG #
AAA183746

REACTIVITY
Mouse


PRODUCT SYNONYMS

Mothers Against Decapentaplegic Homolog 1 (Smad1); Mouse Mothers Against Decapentaplegic Homolog 1 (Smad1) ELISA Kit; BSP1; JV4-1; JV41; MADH1; MADR1; SMAD Family Member 1; Mad-related protein 1; Transforming growth factor-beta-signaling protein 1; Mothers against DPP homolog 1; Smad1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Mothers Against Decapentaplegic Homolog 1 (Smad1). No significant cross-reactivity or interference between Mothers Against Decapentaplegic Homolog 1 (Smad1) and analogues was observed.
Sequence Length	465
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates, Cell Lysates, Cell Culture Supernates and Other Biological Fluids
Detection Range	0.312-20ng/mL
Sensitivity	< 0.125ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Mothers Against Decapentaplegic Homolog 1 (Smad1) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Mothers Against Decapentaplegic Homolog 1 (Smad1) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Smad1 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Mothers Against Decapentaplegic Homolog 1 (Smad1). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Mothers Against Decapentaplegic Homolog 1 (Smad1). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Mothers Against Decapentaplegic Homolog 1 (Smad1), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Mothers Against Decapentaplegic Homolog 1 (Smad1) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	31543220
NCBI GeneID	17125
NCBI Accession #	NP_032565.2
NCBI GenBank Nucleotide #	NM_008539.3
UniProt Accession #	P70340; P70442; Q6GT95; Q9CYK6
Molecular Weight	52,157 Da
NCBI Official Full Name	mothers against decapentaplegic homolog 1
NCBI Official Synonym Full Names	SMAD family member 1
NCBI Official Symbol	Smad1
NCBI Official Synonym Symbols	Mlp1; Madh1; Madr1; MusMLP; AI528653
NCBI Protein Information	mothers against decapentaplegic homolog 1
UniProt Protein Name	Mothers against decapentaplegic homolog 1
UniProt Gene Name	Smad1
UniProt Synonym Gene Names	Madh1; Madr1; MAD homolog 1; Mothers against DPP homolog 1; Dwf-A; Mad-related protein 1; mMad1; SMAD 1; Smad1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/mothers-against-decapentaplegic-homolog-1-smad1/183746>