

Mouse Glucocorticoid Receptor Alpha (GRa) ELISA Kit | GRa elisa kit

Mouse Glucocorticoid Receptor Alpha (GRa) ELISA Kit

CATALOG #
AAA183944

REACTIVITY
Mouse


PRODUCT SYNONYMS

Glucocorticoid Receptor Alpha (GRa); Mouse Glucocorticoid Receptor Alpha (GRa) ELISA Kit; GR-A; GRa elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Glucocorticoid Receptor Alpha (GRa). No significant cross-reactivity or interference between Glucocorticoid Receptor Alpha (GRa) and analogues was observed.
Sequence Length	777
Assay Type	Double-antibody Sandwich
Samples	Tissue Homogenates, Cell Lysates and Other Biological Fluids
Detection Range	0.312-20ng/mL
Sensitivity	< 0.121ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Glucocorticoid Receptor Alpha (GRa) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Glucocorticoid Receptor Alpha (GRa) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for GRa elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Glucocorticoid Receptor Alpha (GRa). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Glucocorticoid Receptor Alpha (GRa). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Glucocorticoid Receptor Alpha (GRa), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Glucocorticoid Receptor Alpha (GRa) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	4504133
NCBI GeneID	2908
NCBI Accession #	NP_000167.1
NCBI GenBank Nucleotide #	NM_000176.2
UniProt Accession #	P04150; P04151; Q53EP5; Q6N0A4; A0ZXF9; B0LPG8; D3DQF4; F5ATB7
Molecular Weight	49,802 Da
NCBI Official Full Name	glucocorticoid receptor isoform alpha
NCBI Official Synonym Full Names	nuclear receptor subfamily 3 group C member 1
NCBI Official Symbol	NR3C1
NCBI Official Synonym Symbols	GR; GCR; GRL; GCCR; GCRST
NCBI Protein Information	glucocorticoid receptor
UniProt Protein Name	Glucocorticoid receptor
UniProt Gene Name	NR3C1
UniProt Synonym Gene Names	GRL; GR

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.