

Human Osteonectin (ON) ELISA Kit | ON elisa kit

Human Osteonectin (ON) ELISA Kit

CATALOG #
AAA183972

REACTIVITY
Human


PRODUCT SYNONYMS

Osteonectin (ON); Human Osteonectin (ON) ELISA Kit; SPARC; BM-40; Secreted Protein; Acidic; Cysteine-Rich; Basement-membrane protein 40; Secreted protein acidic and rich in cysteine; ON elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Osteonectin (ON). No significant cross-reactivity or interference between Osteonectin (ON) and analogues was observed.
Sequence Length	302
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates and Other Biological Fluids
Detection Range	3.12-200ng/mL
Sensitivity	< 1.21ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Osteonectin (ON) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Osteonectin (ON) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ON elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Osteonectin (ON). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Osteonectin (ON). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Osteonectin (ON), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Osteonectin (ON) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	338325
NCBI GeneID	6678
UniProt Accession #	P09486; Q6IBK4; D3DQH9
Molecular Weight	34,632 Da
NCBI Official Full Name	osteonectin
NCBI Official Synonym Full Names	secreted protein acidic and cysteine rich
NCBI Official Symbol	SPARC
NCBI Official Synonym Symbols	ON; OI17; BM-40
NCBI Protein Information	SPARC
UniProt Protein Name	SPARC
UniProt Gene Name	SPARC
UniProt Synonym Gene Names	ON; BM-40; ON

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/osteonectin-on/183972>