

Human Mucin 4 (MUC4) ELISA Kit | MUC4 elisa kit

Human Mucin 4 (MUC4) ELISA Kit

CATALOG #
AAA184284

REACTIVITY
Human


PRODUCT SYNONYMS

Mucin 4 (MUC4); Human Mucin 4 (MUC4) ELISA Kit; ASGP; Mucin 4 Cell Surface Associated; Mucin 4; Tracheobronchial; Testis mucin; Ascites sialoglycoprotein; Pancreatic adenocarcinoma mucin; MUC4 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Mucin 4 (MUC4). No significant cross-reactivity or interference between Mucin 4 (MUC4) and analogues was observed.
Sequence Length	1,943
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates and Other Biological Fluids
Detection Range	0.312-20ng/mL
Sensitivity	< 0.131ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Mucin 4 (MUC4) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Mucin 4 (MUC4) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MUC4 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Mucin 4 (MUC4). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Mucin 4 (MUC4). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Mucin 4 (MUC4), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Mucin 4 (MUC4) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	3551823
NCBI GeneID	4585
UniProt Accession #	Q99102; O95938; Q9GZM2; Q9GZV6; Q9H481; Q9H482; Q9H483; Q9H484; Q9H485; Q9H486; Q9H487; Q9H4D6
Molecular Weight	206,605 Da
NCBI Official Full Name	mucin 4, partial
NCBI Official Synonym Full Names	mucin 4, cell surface associated
NCBI Official Symbol	MUC4
NCBI Official Synonym Symbols	ASGP; MUC-4; HSA276359
NCBI Protein Information	mucin-4
UniProt Protein Name	Mucin-4
UniProt Gene Name	MUC4
UniProt Synonym Gene Names	MUC-4; ASGP; ASGP-1; ASGP-2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/mucin-4-muc4/184284>