

Mouse Hyaluronidase (HAase) ELISA Kit | HAase elisa kit

Mouse Hyaluronidase (HAase) ELISA Kit

CATALOG #
AAA184458

REACTIVITY
Mouse


PRODUCT SYNONYMS

Hyaluronidase (HAase); Mouse Hyaluronidase (HAase) ELISA Kit; Hyaluronic Lase; Hyaluronidase; HAase elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Hyaluronidase (HAase). No significant cross-reactivity or interference between Hyaluronidase (HAase) and analogues was observed.
Sequence Length	138
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates and Other Biological Fluids
Detection Range	78-5000pg/mL
Sensitivity	< 35pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Hyaluronidase (HAase) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Hyaluronidase (HAase) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for HAase elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Hyaluronidase (HAase). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Hyaluronidase (HAase). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Hyaluronidase (HAase), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Hyaluronidase (HAase) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	2935328
NCBI GeneID	8372
UniProt Accession #	O43820; O60540; Q8NFK2; Q8NFK3; Q8NFK4; Q96E56; Q9BRW9
Molecular Weight	15,865 Da
NCBI Official Full Name	hyaluronidase
NCBI Official Synonym Full Names	hyaluronoglucosaminidase 3
NCBI Official Symbol	HYAL3
NCBI Official Synonym Symbols	LUCA3; HYAL-3; LUCA-3
NCBI Protein Information	hyaluronidase-3
UniProt Protein Name	Hyaluronidase-3
UniProt Gene Name	HYAL3
UniProt Synonym Gene Names	LUCA3; Hyal-3; LuCa-3

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/hyaluronidase-haase/184458>