

Human Matrix Extracellular Phosphoglycoprotein (MEPE) ELISA Kit | MEPE elisa kit

Human Matrix Extracellular Phosphoglycoprotein (MEPE) ELISA Kit

CATALOG #
AAA184473

REACTIVITY
Human


PRODUCT SYNONYMS

Matrix Extracellular Phosphoglycoprotein (MEPE); Human Matrix Extracellular Phosphoglycoprotein (MEPE) ELISA Kit; OF45; Asarm Motif-Containing; Osteoblast/Osteocyte Factor 45; MEPE elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Matrix Extracellular Phosphoglycoprotein (MEPE). No significant cross-reactivity or interference between Matrix Extracellular Phosphoglycoprotein (MEPE) and analogues was observed.
Sequence Length	412
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates and Other Biological Fluids
Detection Range	0.312-20ng/mL
Sensitivity	< 0.137ng/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Matrix Extracellular Phosphoglycoprotein (MEPE) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Matrix Extracellular Phosphoglycoprotein (MEPE) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MEPE elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Matrix Extracellular Phosphoglycoprotein (MEPE). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Matrix Extracellular Phosphoglycoprotein (MEPE). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Matrix Extracellular Phosphoglycoprotein (MEPE), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Matrix Extracellular Phosphoglycoprotein (MEPE) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	9910430
NCBI GeneID	56955
NCBI Accession #	NP_064588.1
NCBI GenBank Nucleotide #	NM_020203.3
UniProt Accession #	Q9NQ76; A1A4X9; A8MTA3; D2CFR4; F5H5C5
Molecular Weight	45,291 Da
NCBI Official Full Name	matrix extracellular phosphoglycoprotein isoform a
NCBI Official Synonym Full Names	matrix extracellular phosphoglycoprotein
NCBI Official Symbol	MEPE
NCBI Official Synonym Symbols	OF45
NCBI Protein Information	matrix extracellular phosphoglycoprotein
UniProt Protein Name	Matrix extracellular phosphoglycoprotein
UniProt Gene Name	MEPE
UniProt Synonym Gene Names	OF45

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.