

Epoxide hydrolase 1 Recombinant Protein | EPHX1 recombinant protein

Recombinant Human Epoxide hydrolase 1

CATALOG # AAA18448	HOST E Coli or Yeast or Baculovirus or Mammalian Cell
------------------------------	---


PRODUCT SYNONYMS

Epoxide hydrolase 1; Recombinant Human Epoxide hydrolase 1; Epoxide hydratase; Microsomal epoxide hydrolase; EPHX1 recombinant protein

PRODUCT SPECIFICATIONS

Host	E Coli or Yeast or Baculovirus or Mammalian Cell
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized or liquid (Format to be determined during the manufacturing process)
Sequence Positions	1-455aa; Full Length
Sequence	MWLEILLTSV LGFAIYWFIS RDKEETLPLE DGWWGPGTRS AAREDDSI RP FKVETSDEEI HDLHQRIDKF RFTPPLDSC FHYGFNSNYL KKVISYWRNE FDWKKQVEIL NRYPHFKTKI EGLDIHFIHV KPPQLPAGHT PKPLL MVHGW PGSFYEFYKI IPLLTDPKNH GLSDEHVFEV ICPSIPGYGF SEASSKKGFN SVATARIFYK LMLRLGFQEF YIQGGDWGSL ICTNMAQLVP SHVKGHLHNM ALVLSNFSTL TLLGQRFGR FLGLTERDVE LLYPVKEKVF YSLMRESGYM HIQCTKPDTV GSALNDSPVG LAAYILEKFS TWTNTEFRYL EDGGLERKFS LDDL TNVML YWTTGTIIS QRFYKENLGQ GWMTQKHERM KVVVPTGFS FPFELLHTPE KVVRFKYPKL ISYSVMVRGG HFAAFEEPEL LAQDIRKFLS VLERQ
Preparation and Storage	Store at -20 degree C, for extended storage, conserve at -20 degree C or -80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for EPHX1 recombinant protein	Biotransformation enzyme that catalyzes the hydrolysis of arene and aliphatic epoxides to less reactive and more water soluble dihydrodiols by the trans addition of water.
Product Categories/Family for EPHX1 recombinant protein	Metabolism

References

Human microsomal xenobiotic epoxide hydrolase. Complementary DNA sequence, complementary DNA-directed expression in COS-1 cells, and chromosomal localization.Skoda R.C., Demierre A., McBride O.W., Gonzalez F.J., Meyer U.A.J. *Biol. Chem.* 263:1549-1554(1988) Nucleotide sequence of a human microsomal epoxide hydrolase cDNA clone.Wilson N.M., Omiecinski C.J. Nucleotide and deduced amino acid sequence of human liver microsomal epoxide hydrolase.Jackson M.R., Craft J.A., Burchell B.*Nucleic Acids Res.* 15:7188-7188(1987) Human microsomal epoxide hydrolase genetic polymorphism and functional expression in vitro of amino acid variants.Hassett C., Aicher L., Sidhu J.S., Omiecinski C.J.*Hum. Mol. Genet.* 3:421-428(1994) ErratumHassett C., Aicher L., Sidhu J.S., Omiecinski C.J.*Hum. Mol. Genet.* 3:1214-1214(1994) The human microsomal epoxide hydrolase gene (EPHX1) complete nucleotide sequence and structural characterization.Hassett C., Robinson K.B., Beck N.B., Omiecinski C.J.*Genomics* 23:433-442(1994) Complete sequencing and characterization of 21,243 full-length human cDNAs.Ota T., Suzuki Y., Nishikawa T., Otsuki T., Sugiyama T., Irie R., Wakamatsu A., Hayashi K., Sato H., Nagai K., Kimura K., Makita H., Sekine M., Obayashi M., Nishi T., Shibahara T., Tanaka T., Ishii S., Yamamoto J., Saito K., Kawai Y., Isono Y., Nakamura Y., Nagahari K., Murakami K., Yasuda T., Iwayanagi T., Wagatsuma M., Shiratori A., Sudo H., Hosoiri T., Kaku Y., Kodaira H., Kondo H., Sugawara M., Takahashi M., Kanda K., Yokoi T., Furuya T., Kikkawa E., Omura Y., Abe K., Kamihara K., Katsuta N., Sato K., Tanikawa M., Yamazaki M., Ninomiya K., Ishibashi T., Yamashita H., Murakawa K., Fujimori K., Tanai H., Kimata M., Watanabe M., Hiraoka S., Chiba Y., Ishida S., Ono Y., Takiguchi S., Watanabe S., Yosida M., Hotuta T., Kusano J., Kanehori K., Takahashi-Fujii A., Hara H., Tanase T.-O., Nomura Y., Togiya S., Komai F., Hara R., Takeuchi K., Arita M., Imose N., Musashino K., Yuuki H., Oshima A., Sasaki N., Aotsuka S., Yoshikawa Y., Matsunawa H., Ichihara T., Shiohata N., Sano S., Moriya S., Momiyama H., Satoh N., Takami S., Terashima Y., Suzuki O., Nakagawa S., Senoh A., Mizoguchi H., Goto Y., Shimizu F., Wakebe H., Hishigaki H., Watanabe T., Sugiyama A., Takemoto M., Kawakami B., Yamazaki M., Watanabe K., Kumagai A., Itakura S., Fukuzumi Y., Fujimori Y., Komiyama M., Tashiro H., Tanigami A., Fujiwara T., Ono T., Yamada K., Fujii Y., Ozaki K., Hirao M., Ohmori Y., Kawabata A., Hikiji T., Kobatake N., Inagaki H., Ikema Y., Okamoto S., Okitani R., Kawakami T., Noguchi S., Itoh T., Shigeta K., Senba T., Matsumura K., Nakajima Y., Mizuno T., Morinaga M., Sasaki M., Togashi T., Oyama M., Hata H., Watanabe M., Komatsu T., Mizushima-Sugano J., Satoh T., Shirai Y., Takahashi Y., Nakagawa K., Okumura K., Nagase T., Nomura N., Kikuchi H., Masuho Y., Yamashita R., Nakai K., Yada T., Nakamura Y., Ohara O., Isogai T., Sugano S.*Nat. Genet.* 36:40-45(2004) NIEHS SNPs programThe DNA sequence and biological annotation of human chromosome 1.Gregory S.G., Barlow K.F., McLay K.E., Kaul R., Swarbreck D., Dunham A., Scott C.E., Howe K.L., Woodfine K., Spencer C.C.A., Jones M.C., Gillson C., Searle S., Zhou Y., Kokocinski F., McDonald L., Evans R., Phillips K., Atkinson A., Cooper R., Jones C., Hall R.E., Andrews T.D., Lloyd C., Ainscough R., Almeida J.P., Ambrose K.D., Anderson F., Andrew R.W., Ashwell R.I.S., Aubin K., Babbage A.K., Bagguley C.L., Bailey J., Beasley H., Bethel G., Bird C.P., Bray-Allen S., Brown J.Y., Brown A.J., Buckley D., Burton J., Bye J., Carder C., Chapman J.C., Clark S.Y., Clarke G., Clee C., Cobley V., Collier R.E., Corby N., Coville G.J., Davies J., Deadman R., Dunn M., Earthrowl M., Ellington A.G., Errington H., Frankish A., Frankland J., French L., Garner P., Garnett J., Gay L., Ghorri M.R.J., Gibson R., Gilby L.M., Gillett W., Glithero R.J., Grafham D.V., Griffiths C., Griffiths-Jones S., Grocock R., Hammond S., Harrison E.S.I., Hart E., Haugen E., Heath P.D., Holmes S., Holt K., Howden P.J., Hunt A.R., Hunt S.E., Hunter G., Isherwood J., James R., Johnson C., Johnson D., Joy A., Kay M., Kershaw J.K., Kibukawa M., Kimberley A.M., King A., Knights A.J., Lad H., Laird G., Lawlor S., Leongamornlert D.A., Lloyd D.M., Loveland J., Lovell J., Lush M.J., Lyne R., Martin S., Mashreghi-Mohammadi M., Matthews L., Matthews N.S.W., McLaren S., Milne S., Mistry S., Moore M.J.F., Nickerson T., O'Dell C.N., Oliver K., Palmeiri A., Palmer S.A., Parker A., Patel D., Pearce A.V., Peck A.I., Pelan S., Phelps K., Phillimore B.J., Plumb R., Rajan J., Raymond C., Rouse G., Saenphimmachak C., Sehra H.K., Sheridan E., Shownkeen R., Sims S., Skuce C.D., Smith M., Steward C., Subramanian S., Sycamore N., Tracey A., Tromans A., Van Helmond Z., Wall M., Wallis J.M., White S., Whitehead S.L., Wilkinson J.E., Willey D.L., Williams H., Wilming L., Wray P.W., Wu Z., Coulson A., Vaudin M., Sulston J.E., Durbin R.M., Hubbard T., Wooster R., Dunham I., Carter N.P., McVean G., Ross M.T., Harrow J., Olson M.V., Beck S., Rogers J., Bentley D.R.*Nature* 441:315-321(2006) Partial nucleotide sequence of a cloned cDNA for human liver microsomal epoxide hydrolase.Craft J.A., Jackson M.R., Burchell B.*Biochem. Soc. Trans.* 15:708-709(1987) Identification of 6 new polymorphisms, g.11177G>A, g.14622C>T (R49C) , g.17540T>C, g.17639T>C, g.30929T>C, g.31074G>A (R454Q) , in the human microsomal epoxide hydrolase gene (EPHX1) in a French population.Belmahdi F., Chevalier D., Lo-Guidice J.-M., Allorge D., Cauffiez C., Lafitte J.-J., Broly F.*3.0.CO;2-1>Hum. Mutat.* 16:450-450(2000) Inhibition of human m-epoxide hydrolase gene expression in a case of hypercholanemia.Zhu Q.S., Xing W., Qian B., von Dippel P., Shneider B.L., Fox V.L., Levy D.*Biochim. Biophys. Acta* 1638:208-216(2003) Initial characterization of the human central proteome.Burkard T.R., Planavsky M., Kaupé I., Breitwieser F.P., Buerckstueimmer T., Bennett K.L., Superti-Furga G., Colinge J.*BMC Syst. Biol.* 5:17-17(2011) An enzyme assisted RP-RPLC approach for in-depth analysis of human liver phosphoproteome.Bian Y., Song C., Cheng K., Dong M., Wang F., Huang J., Sun D., Wang L., Ye M., Zou H.J. *Proteomics* 96:253-262(2014) Two exonic single nucleotide polymorphisms in the microsomal epoxide hydrolase gene are jointly associated with preeclampsia.Laasanen J., Romppanen E.-L., Hiltunen M., Helisalmi S., Mannermaa A., Punnonen K., Heinonen S.*Eur. J. Hum. Genet.* 10:569-573(2002) Five novel single nucleotide polymorphisms in the EPXH1 gene encoding microsomal epoxide hydrolase.Shiseki K., Itoda M., Saito Y., Nakajima Y., Maekawa K., Kimura H., Goto Y., Saitoh O., Katoh M., Ohnuma T., Kawai M., Sugai K., Ohtsuki T., Suzuki C., Minami N., Ozawa S., Sawada J.*Drug Metab. Pharmacokinet.* 18:150-153(2003) Functional analysis of human microsomal epoxide hydrolase genetic variants.Hosagrahara V.P., Rettie A.E., Hassett C., Omiecinski C.J.*Chem. Biol. Interact.* 150:149-159(2004)

NCBI AND UNIPROT INFORMATION

NCBI GI #	4503583
NCBI GeneID	2052
NCBI Accession #	NP_000111.1
NCBI GenBank Nucleotide #	NM_000120.3
UniProt Accession #	P07099; Q5VTJ6; Q9NP75; Q9NPE7; Q9NQU6; Q9NQU7; Q9NQU8; Q9NQU9; Q9NQV0; Q9NQV1; Q9NQV2; B2R8N0
Molecular Weight	68.9 kDa
NCBI Official Full Name	epoxide hydrolase 1
NCBI Official Synonym Full Names	epoxide hydrolase 1
NCBI Official Symbol	EPHX1
NCBI Official Synonym Symbols	MEH; EPHX; EPOX; HYL1
NCBI Protein Information	epoxide hydrolase 1
UniProt Protein Name	Epoxide hydrolase 1
UniProt Gene Name	EPHX1
UniProt Synonym Gene Names	EPHX; EPOX
UniProt Entry Name	HYEP_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/ephx1-recombinant-protein-e-coli-or-yeast-or-baculovirus-or-mammalian-cell/18448>