

Mouse Milk Fat Globule EGF Factor 8 (MFGE8) ELISA Kit | MFGE8 elisa kit

Mouse Milk Fat Globule EGF Factor 8 (MFGE8) ELISA Kit

CATALOG #
AAA184540

REACTIVITY
Mouse


PRODUCT SYNONYMS

Milk Fat Globule EGF Factor 8 (MFGE8); Mouse Milk Fat Globule EGF Factor 8 (MFGE8) ELISA Kit; HMFG; MFGM; SED1; BA46; EDIL1; OAcGD3S; SPAG10; hP47; Medin; Lactadherin; Sperm Associated Antigen 10; Sperm Surface Protein hP47; Milk fat globule-EGF factor 8; MFGE8 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Milk Fat Globule EGF Factor 8 (MFGE8). No significant cross-reactivity or interference between Milk Fat Globule EGF Factor 8 (MFGE8) and analogues was observed.
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma, Tissue Homogenates and Other Biological Fluids
Detection Range	15.62-1000pg/mL
Sensitivity	< 6.0pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Milk Fat Globule EGF Factor 8 (MFGE8) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Milk Fat Globule EGF Factor 8 (MFGE8) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MFGE8 elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Milk Fat Globule EGF Factor 8 (MFGE8). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Milk Fat Globule EGF Factor 8 (MFGE8). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Milk Fat Globule EGF Factor 8 (MFGE8), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Milk Fat Globule EGF Factor 8 (MFGE8) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	113674039
NCBI GeneID	541486
NCBI Accession #	NP_001038241.1
NCBI GenBank Nucleotide #	NM_001044776.1
NCBI Official Synonym Full Names	milk fat globule-EGF factor 8 protein a
NCBI Official Symbol	mfge8a
NCBI Official Synonym Symbols	mfge8l; im:6895406; zgc:110846
NCBI Protein Information	milk fat globule-EGF factor 8 protein a

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/milk-fat-globule-egf-factor-8-mfge8/184540>