

Heterogeneous nuclear ribonucleoproteins A2/B1 Recombinant Protein | HNRNPA2B1 recombinant protein

Recombinant Human Heterogeneous nuclear ribonucleoproteins A2/B1

CATALOG # AAA18491	HOST E Coli or Yeast or Baculovirus or Mammalian Cell
------------------------------	---


PRODUCT SYNONYMS

Heterogeneous nuclear ribonucleoproteins A2/B1; Recombinant Human Heterogeneous nuclear ribonucleoproteins A2/B1; HNRNPA2B1 recombinant protein

PRODUCT SPECIFICATIONS

Host	E Coli or Yeast or Baculovirus or Mammalian Cell
Purity/Purification	Greater or equal to 85% purity as determined by SDS-PAGE.
Form/Format	Lyophilized or liquid (Format to be determined during the manufacturing process)
Sequence Positions	1-249aa; Full Length
Sequence	MEREKEQFRK LFIGGLSFET TEESLRNYE QWGKLTDCVV MRDPASKRSR GFGFVTFSSM AEVDAAMAAR PHSIDGRVVE PKRAVAREES GKPGAHVTVK KLFVGGIKED TEEHHLRDYF EEYGKIDTIE IITDRQSGKK RGFGFVTFDD HDPVDKIVLQ KYHTINGHNA EVRKALSRQE MQEDLEVAIL EVAPVMEEEE EDMVVEDLDM ATRVGATEVV MTTMEEEIME VEITMILEII TSNLLTTVQ
Preparation and Storage	Store at -20 degree C, for extended storage, conserve at -20 degree C or -80 degree C.

IMAGES



SDS-PAGE

ADDITIONAL INFORMATION

Related Product Information for HNRNPA2B1 recombinant protein	Involved with pre-mRNA processing. Forms complexes (ribonucleosomes) with at least 20 other different hnRNP and heterogeneous nuclear RNA in the nucleus.
Product Categories/Family for HNRNPA2B1 recombinant protein	Transcription

References

Primary structures of the heterogeneous nuclear ribonucleoprotein A2, B1, and C2 proteins a diversity of RNA binding proteins is generated by small peptide inserts. Burd C.G., Swanson M.S., Goerlach M., Dreyfuss G. *Proc. Natl. Acad. Sci. U.S.A.* 86:9788-9792(1989) Two homologous genes, originated by duplication, encode the human hnRNP proteins A2 and A1. Biamonti G., Ruggiu M., Saccone S., Della Valle G., Riva S. *Nucleic Acids Res.* 22:1996-2002(1994) Structure and expression of the gene (HNRPA2B1) encoding the human hnRNP protein A2/B1. Kozu T., Henrich B., Schaefer K.P. *Genomics* 25:365-371(1995) Complete sequencing and characterization of 21,243 full-length human cDNAs. Ota T., Suzuki Y., Nishikawa T., Otsuki T., Sugiyama T., Irie R., Wakamatsu A., Hayashi K., Sato H., Nagai K., Kimura K., Makita H., Sekine M., Obayashi M., Nishi T., Shibahara T., Tanaka T., Ishii S., Yamamoto J., Saito K., Kawai Y., Isono Y., Nakamura Y., Nagahari K., Murakami K., Yasuda T., Iwayanagi T., Wagatsuma M., Shiratori A., Sudo H., Hosoiri T., Kaku Y., Kodaira H., Kondo H., Sugawara M., Takahashi M., Kanda K., Yokoi T., Furuya T., Kikkawa E., Omura Y., Abe K., Kamihara K., Katsuta N., Sato K., Tanikawa M., Yamazaki M., Ninomiya K., Ishibashi T., Yamashita H., Murakawa K., Fujimori K., Tanai H., Kimata M., Watanabe M., Hiraoka S., Chiba Y., Ishida S., Ono Y., Takiguchi S., Watanabe S., Yosida M., Hotuta T., Kusano J., Kanehori K., Takahashi-Fujii A., Hara H., Tanase T.-O., Nomura Y., Togiya S., Komai F., Hara R., Takeuchi K., Arita M., Imose N., Musashino K., Yuuki H., Oshima A., Sasaki N., Aotsuka S., Yoshikawa Y., Matsunawa H., Ichihara T., Shiohata N., Sano S., Moriya S., Momiyama H., Satoh N., Takami S., Terashima Y., Suzuki O., Nakagawa S., Senoh A., Mizoguchi H., Goto Y., Shimizu F., Wakebe H., Hishigaki H., Watanabe T., Sugiyama A., Takemoto M., Kawakami B., Yamazaki M., Watanabe K., Kumagai A., Itakura S., Fukuzumi Y., Fujimori Y., Komiyama M., Tashiro H., Tanigami A., Fujiwara T., Ono T., Yamada K., Fujii Y., Ozaki K., Hirao M., Ohmori Y., Kawabata A., Hikiji T., Kobatake N., Inagaki H., Ikema Y., Okamoto S., Okitani R., Kawakami T., Noguchi S., Itoh T., Shigeta K., Senba T., Matsumura K., Nakajima Y., Mizuno T., Morinaga M., Sasaki M., Togashi T., Oyama M., Hata H., Watanabe M., Komatsu T., Mizushima-Sugano J., Satoh T., Shirai Y., Takahashi Y., Nakagawa K., Okumura K., Nagase T., Nomura N., Kikuchi H., Masuho Y., Yamashita R., Nakai K., Yada T., Nakamura Y., Ohara O., Isogai T., Sugano S. *Nat. Genet.* 36:40-45(2004) Bienvenut W.V., Lilla S., von Kriegsheim A., Lempens A., Kolch W., Dozynkiewicz M., Norman J.C. Submitted (JUN-2009) to UniProtKB Lubec G., Vishwanath V., Chen W.-Q., Sun Y. Submitted (DEC-2008) to UniProtKB Purification and partial sequencing of the nuclear autoantigen RA33 shows that it is indistinguishable from the A2 protein of the heterogeneous nuclear ribonucleoprotein complex. Steiner G., Hartmuth K., Skriner K., Maurer-Fogy I., Sinski A., Thalmann E., Hassfeld W., Barta A., Smolen J.S.J. *Clin. Invest.* 90:1061-1066(1992) ADP-ribosylation of heterogeneous ribonucleoproteins in HeLa cells. Prasad S., Walent J., Dritschilo A. *Biochem. Biophys. Res. Commun.* 204:772-779(1994) Purification and domain structure of core hnRNP proteins A1 and A2 and their relationship to single-stranded DNA-binding proteins. Kumar A., Williams K.R., Szer W.J. *Biol. Chem.* 261:11266-11273(1986) Two-dimensional gel electrophoresis, protein electroblotting and microsequencing a direct link between proteins and genes. Bauw G., Rasmussen H.H., van den Bulcke M., van Damme J., Puype M., Gesser B., Celis J.E., Vandekerckhove J. *Electrophoresis* 11:528-536(1990) Purification and characterization of native spliceosomes suitable for three-dimensional structural analysis. Jurica M.S., Licklider L.J., Gygi S.P., Grigorieff N., Moore M.J. *RNA* 8:426-439(2002) Identifying and quantifying in vivo methylation sites by heavy methyl SILAC. Ong S.E., Mittler G., Mann M. *Nat. Methods* 1:119-126(2004) Improved titanium dioxide enrichment of phosphopeptides from HeLa cells and high confident phosphopeptide identification by cross-validation of MS/MS and MS/MS/MS spectra. Yu L.R., Zhu Z., Chan K.C., Issaq H.J., Dimitrov D.S., Veenstra T.D.J. *Proteome Res.* 6:4150-4162(2007) Molecular composition of IMP1 ribonucleoprotein granules. Joelson L., Vikesaa J., Krogh A., Nielsen L.K., Hansen T., Borup R., Johnsen A.H., Christiansen J., Nielsen F.C. *Mol. Cell. Proteomics* 6:798-811(2007) Combining protein-based IMAC, peptide-based IMAC, and MudPIT for efficient phosphoproteomic analysis. Cantin G.T., Yi W., Lu B., Park S.K., Xu T., Lee J.-D., Yates J.R. III. *Proteome Res.* 7:1346-1351(2008) Kinase-selective enrichment enables quantitative phosphoproteomics of the kinome across the cell cycle. Daub H., Olsen J.V., Bairlein M., Gnäd F., Oppermann F.S., Korner R., Greff Z., Keri G., Stemmann O., Mann M. *Mol. Cell* 31:438-448(2008) A quantitative atlas of mitotic phosphorylation. Dephoure N., Zhou C., Villen J., Beausoleil S.A., Bakalarski C.E., Elledge S.J., Gygi S.P. *Proc. Natl. Acad. Sci. U.S.A.* 105:10762-10767(2008) Lys-N and trypsin cover complementary parts of the phosphoproteome in a refined SCX-based approach. Gauci S., Helbig A.O., Slijper M., Krijgsveld J., Heck A.J., Mohammed S. *Anal. Chem.* 81:4493-4501(2009) Large-scale proteomics analysis of the human kinome. Oppermann F.S., Gnäd F., Olsen J.V., Hornberger R., Greff Z., Keri G., Mann M., Daub H. *Mol. Cell. Proteomics* 8:1751-1764(2009) Quantitative phosphoproteomic analysis of T cell receptor signaling reveals system-wide modulation of protein-protein interactions. Mayya V., Lundgren D.H., Hwang S.-I., Rezaul K., Wu L., Eng J.K., Rodionov V., Han D.K. *Sci. Signal.* 2:RA46-RA46(2009) Lysine acetylation targets protein complexes and co-regulates major cellular functions. Choudhary C., Kumar C., Gnäd F., Nielsen M.L., Rehman M., Walther T.C., Olsen J.V., Mann M. *Science* 325:834-840(2009) Quantitative phosphoproteomics reveals widespread full phosphorylation site occupancy during mitosis. Olsen J.V., Vermeulen M., Santamaria A., Kumar C., Miller M.L., Jensen L.J., Gnäd F., Cox J., Jensen T.S., Nigg E.A., Brunak S., Mann M. *Sci. Signal.* 3:RA3-RA3(2010) Initial characterization of the human central proteome. Burkard T.R., Planyavsky M., Kaupe I., Breitwieser F.P., Buerckstuemmer T., Bennett K.L., Superti-Furga G., Colinge J. *BMC Syst. Biol.* 5:17-17(2011) System-wide temporal characterization of the proteome and phosphoproteome of human embryonic stem cell differentiation. Rigbolt K.T., Prokhorova T.A., Akimov V., Henningsen J., Johansen P.T., Kratchmarova I., Kassem M., Mann M., Olsen J.V., Blagoev B. *Sci. Signal.* 4:RS3-RS3(2011) Resveratrol-induced changes of the human adipocyte secretion profile. Rosenow A., Noben J.P., Jocken J., Kallendrusch S., Fischer-Posovszky P., Mariman E.C., Renes J.J. *Proteome Res.* 11:4733-4743(2012) N-terminal acetylome analyses and functional insights of the N-terminal acetyltransferase NatB. Van Damme P., Lasa M., Polevoda B., Gazquez C., Elosegui-Artola A., Kim D.S., De Juan-Pardo E., Demeyer K., Hole K., Larrea E., Timmerman E., Prieto J., Arnesen T., Sherman F., Gevaert K., Aldabe R. *Proc. Natl. Acad. Sci. U.S.A.* 109:12449-12454(2012) C9ORF72, implicated in amyotrophic lateral sclerosis and frontotemporal dementia, regulates endosomal trafficking. Farg M.A., Sundaramoorthy V., Sultana J.M., Yang S., Atkinson R.A., Levina V., Halloran M.A., Gleeson P.A., Blair I.P., Soo K.Y., King A.E., Atkin J.D. *Hum. Mol. Genet.* 23:3579-3595(2014) An enzyme

NCBI AND UNIPROT INFORMATION

NCBI GI #	4504447
NCBI GeneID	3181
NCBI Accession #	NP_002128.1
NCBI GenBank Nucleotide #	NM_002137.3
UniProt Accession #	P22626; P22627; Q9UC98; Q9UDJ2; A0A024RA27; A0A024RA61; A8K064
Molecular Weight	30.4 kDa
NCBI Official Full Name	heterogeneous nuclear ribonucleoproteins A2/B1 isoform A2
NCBI Official Synonym Full Names	heterogeneous nuclear ribonucleoprotein A2/B1
NCBI Official Symbol	HNRNPA2B1
NCBI Official Synonym Symbols	RNPA2; HNRPA2; HNRPB1; SNRPB1; HNRNPA2; HNRNPB1; IBMPFD2; HNRPA2B1
NCBI Protein Information	heterogeneous nuclear ribonucleoproteins A2/B1
UniProt Protein Name	Heterogeneous nuclear ribonucleoproteins A2/B1
UniProt Gene Name	HNRNPA2B1
UniProt Synonym Gene Names	HNRPA2B1; hnRNP A2/B1
UniProt Entry Name	ROA2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/hnrnpa2b1-recombinant-protein-e-coli-or-yeast-or-baculovirus-or-mammalian-cell/18491>