

Human Regenerating Islet Derived Protein 1 Alpha (REG1a) ELISA Kit | REG1a elisa kit

Human Regenerating Islet Derived Protein 1 Alpha (REG1a) ELISA Kit

CATALOG #
AAA185038

REACTIVITY
Human


PRODUCT SYNONYMS

Regenerating Islet Derived Protein 1 Alpha (REG1a); Human Regenerating Islet Derived Protein 1 Alpha (REG1a) ELISA Kit; REG; PSP; ICRF; PSPS1; PTP; Islet cells regeneration factor; Islet of Langerhans regenerating protein; Lithostathine 1 Alpha; Pancreatic Stone Protein; Pancreatic Thread Protein; REG1a elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of Regenerating Islet Derived Protein 1 Alpha (REG1a). No significant cross-reactivity or interference between Regenerating Islet Derived Protein 1 Alpha (REG1a) and analogues was observed.
Sequence Length	166
Assay Type	Double-antibody Sandwich
Samples	Serum, Plasma and Other Biological Fluids
Detection Range	62.50-4000pg/mL
Sensitivity	< 24.4pg/mL
Application	Enzyme-linked immunosorbent assay for Antigen Detection.
Intra-assay Precision (Precision within an assay)	3 samples with low, middle and high level Regenerating Islet Derived Protein 1 Alpha (REG1a) were tested 20 times on one plate, respectively.
Inter-assay Precision (Precision between assays)	3 samples with low, middle and high level Regenerating Islet Derived Protein 1 Alpha (REG1a) were tested on 3 different plates, 8 replicates in each plate.
CV(%) =	SD/meanX100
Intra-Assay	CV<10%
Inter-Assay	CV<12%
Preparation and Storage	The stability of kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition. To minimize extra influence on the performance, operation procedures and lab conditions, especially room temperature, air humidity, incubator temperature should be strictly controlled. It is also strongly suggested that the whole assay is performed by the same operator from the beginning to the end.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for REG1a elisa kit	The test principle applied in this kit is Sandwich enzyme immunoassay. The microtiter plate provided in this kit has been pre-coated with an antibody specific to Regenerating Islet Derived Protein 1 Alpha (REG1a). Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody specific to Regenerating Islet Derived Protein 1 Alpha (REG1a). Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Regenerating Islet Derived Protein 1 Alpha (REG1a), biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Regenerating Islet Derived Protein 1 Alpha (REG1a) in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	388452794
NCBI GeneID	711892
NCBI Accession #	NP_001253449.1
NCBI GenBank Nucleotide #	NM_001266520.2
NCBI Official Full Name	regenerating islet-derived 1 alpha
NCBI Official Symbol	REG1A
NCBI Protein Information	regenerating islet-derived 1 alpha

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/regenerating-islet-derived-protein-1-alpha-reg1a/185038>